

# AWNINGS, COVERS & SCREENS

|                                       |     |
|---------------------------------------|-----|
| Awnings - Carefree . . . . .          | 112 |
| Carefree spare parts . . . . .        | 114 |
| Awnings - Fiamma . . . . .            | 116 |
| Fiamma spare parts . . . . .          | 118 |
| Awning accessories . . . . .          | 119 |
| Annexes . . . . .                     | 120 |
| Covers . . . . .                      | 121 |
| Matting . . . . .                     | 122 |
| Matting and privacy screens . . . . . | 123 |





AWNINGS - CAREFREE



**CAREFREE AWNING ONLY**

The Carefree Fade Awning is available in a range of sizes from 10' to 21' and in four colours. Remote lock and storage locks work together to ensure the awning does not come unlocked during travel. The no-wand remote lock provides for easy operation without the risk of scratching your RV and eliminates the need to stretch, probe and fish for the roller lock.

- Canopy clamps are built-in and self-storing to keep your awning tight and wrinkle free (Note: Canopy clamps are not fitted to pop-top hardware).
- Heavy-duty brackets are solid, rugged, and match the trim of most RVs
- Single track slider on the inside of the arm channels eliminates rafter binding during set-up and storage

**FEATURES:**

- Vinyl fabric along with weather guard protection
- Colour castings - White arms come with white castings, all others have black
- Self-storing canopy clamps keep your awning tight and wrinkle free
- Easy no-wand remote lock
- Single track slider, for smooth sliding action without binding, is standard
- Hardware not included



**Black/White  
White/Black**



**Blue**



**Burgundy**



**Silver**

**PLEASE NOTE:**  
BLACK/WHITE ROLLS UP BLACK  
WHITE/BLACK ROLLS UP WHITE



**SILVER SHALE**

- 043055 10' AWNING ONLY EXTENDS 7' 3"
- 043056 11' AWNING ONLY EXTENDS 7' 3"
- 043032 12' AWNING ONLY EXTENDS 7' 3"
- 043033 13' AWNING ONLY EXTENDS 7' 3"
- 043034 14' AWNING ONLY EXTENDS 7' 3"
- 043035 15' AWNING ONLY EXTENDS 7' 9"
- 043043 16' AWNING ONLY EXTENDS 7' 9"
- 043044 17' AWNING ONLY EXTENDS 7' 9"
- 043045 18' AWNING ONLY EXTENDS 7' 9"
- 043046 19' AWNING ONLY EXTENDS 7' 9"



**WHITE/BLACK FADE**

- 043605 10' AWNING ONLY EXTENDS 7' 3"
- 043606 11' AWNING ONLY EXTENDS 7' 3"
- 042955 12' AWNING ONLY EXTENDS 7' 3"
- 043607 12' AWNING ONLY EXTENDS 7' 3"
- 042608 15' AWNING ONLY EXTENDS 7' 9"
- 042609 16' AWNING ONLY EXTENDS 7' 9"
- 042610 17' AWNING ONLY EXTENDS 7' 9"
- 042961 18' AWNING ONLY EXTENDS 7' 9"
- 042962 19' AWNING ONLY EXTENDS 7' 9"



**BLACK/WHITE SHALE**

- 043305 10' AWNING ONLY EXTENDS 7' 3"
- 043306 11' AWNING ONLY EXTENDS 7' 3"
- 043307 12' AWNING ONLY EXTENDS 7' 3"
- 043308 13' AWNING ONLY EXTENDS 7' 3"
- 043309 14' AWNING ONLY EXTENDS 7' 3"
- 043310 15' AWNING ONLY EXTENDS 7' 9"
- 043311 16' AWNING ONLY EXTENDS 7' 9"
- 043312 17' AWNING ONLY EXTENDS 7' 9"
- 043313 18' AWNING ONLY EXTENDS 7' 9"
- 043314 19' AWNING ONLY EXTENDS 7' 9"
- 043315 20' AWNING ONLY EXTENDS 7' 9"
- 043316 21' AWNING ONLY EXTENDS 7' 9"



**BLUE SHALE**

- 043057 10' AWNING ONLY EXTENDS 7' 3"
- 043058 11' AWNING ONLY EXTENDS 7' 3"
- 043047 12' AWNING ONLY EXTENDS 7' 3"
- 043048 13' AWNING ONLY EXTENDS 7' 3"
- 043049 14' AWNING ONLY EXTENDS 7' 3"
- 043050 15' AWNING ONLY EXTENDS 7' 9"
- 043051 16' AWNING ONLY EXTENDS 7' 9"
- 043052 17' AWNING ONLY EXTENDS 7' 9"
- 043053 18' AWNING ONLY EXTENDS 7' 9"
- 043054 19' AWNING ONLY EXTENDS 7' 9"



**BLACK/WHITE FADE**

- 042900 13' AWNING ONLY EXTENDS 7' 3"
- 042901 14' AWNING ONLY EXTENDS 7' 3"
- 042903 16' AWNING ONLY EXTENDS 7' 9"
- 042905 18' AWNING ONLY EXTENDS 7' 9"
- 042906 19' AWNING ONLY EXTENDS 7' 9"



**SPRING WIND CHART**

| LENGTH OF AWNING   | WINDS WITH AWNING CLOSED | WINDS WITH AWNING OPEN |
|--------------------|--------------------------|------------------------|
| 7' 11" OR LESS     | 6                        | 14                     |
| 8' - 12'           | 5                        | 13                     |
| 12' 1" - 18'       | 7                        | 15                     |
| 18' 11" AND LONGER | 8                        | 16                     |

To wind, rotate the end plug over the top and away from the RV. To un-wind, rotate the end plug over the top and towards the RV.

**BURGUNDY FADE**

- 043144 10' AWNING ONLY EXTENDS 7' 3"
- 043145 11' AWNING ONLY EXTENDS 7' 3"
- 043136 12' AWNING ONLY EXTENDS 7' 3"
- 043137 13' AWNING ONLY EXTENDS 7' 3"
- 043138 14' AWNING ONLY EXTENDS 7' 3"
- 043139 15' AWNING ONLY EXTENDS 7' 9"
- 043140 16' AWNING ONLY EXTENDS 7' 9"
- 043141 17' AWNING ONLY EXTENDS 7' 9"
- 043142 18' AWNING ONLY EXTENDS 7' 9"
- 043143 19' AWNING ONLY EXTENDS 7' 9"



**WHITE/BLACK SHALE**

- 043504 10' AWNING ONLY EXTENDS 7' 3"
- 043505 11' AWNING ONLY EXTENDS 7' 3"
- 043506 12' AWNING ONLY EXTENDS 7' 3"
- 043507 13' AWNING ONLY EXTENDS 7' 3"
- 043508 14' AWNING ONLY EXTENDS 7' 3"
- 043509 15' AWNING ONLY EXTENDS 7' 9"
- 043510 16' AWNING ONLY EXTENDS 7' 9"
- 043511 17' AWNING ONLY EXTENDS 7' 9"
- 043513 19' AWNING ONLY EXTENDS 7' 9"
- 043514 20' AWNING ONLY EXTENDS 7' 9"
- 043515 21' AWNING ONLY EXTENDS 7' 9"



**CAREFREE HARDWARE UNIVERSAL**

- 001481 POP TOP WHITE
- 001480 POP TOP SATIN
- 043190 POP TOP BLACK
- 039599 UNIVERSAL WHITE
- 001471 UNIVERSAL SATIN
- 042356 UNIVERSAL BLACK
- 001479 CURVED WHITE
- 001474 CENTRE RAFTER GROUND SUPPORT SATIN
- 001475 CENTRE RAFTER GROUND SUPPORT WHITE
- 034394 ECLIPSE 12V WHITE

To suit Carefree awnings. This item includes the left and right hand adjustable arms, plus the top and bottom bracket to attach them to the side of the caravan. Screws and instructions included.

**FEATURES:**

- Durable contoured arms in white or satin finish

# CAREFREE SPARE PARTS



**CAREFREE CENTRE RAFTER WITH GROUND SUPPORT**

001474 SATIN  
001475 WHITE

Supports and stabilises your box awning. Aluminum construction with tension knob. No flip locks, easy to use. Works with Carefree and most brands of box awnings.

**FEATURES:**

- Durable contoured arms in white or satin finish



**CAREFREE SPRING**

|        |     |        |        |       |
|--------|-----|--------|--------|-------|
| 001512 | L/H | SPRING | 8'-17' | BLACK |
| 001513 | L/H | SPRING | 8'-17' | WHITE |
| 001516 | R/H | SPRING | 8'-17' | BLACK |
| 001517 | R/H | SPRING | 8'-17' | WHITE |
| 001514 | L/H | SPRING | 18'+   | BLACK |
| 001515 | L/H | SPRING | 18'+   | WHITE |
| 001518 | R/H | SPRING | 18'+   | BLACK |
| 001519 | R/H | SPRING | 18'+   | WHITE |

Replacement left hand and right hand spring to suit Carefree awning.

**SPRING WIND CHART**

| LENGTH OF AWNING   | WINDS WITH AWNING CLOSED | WINDS WITH AWNING OPEN |
|--------------------|--------------------------|------------------------|
| 7' 11" OR LESS     | 6                        | 14                     |
| 8' - 12'           | 5                        | 13                     |
| 12' 1" - 18'       | 7                        | 15                     |
| 18' 11" AND LONGER | 8                        | 16                     |

To wind, rotate the end plug over the top and away from the RV. To un-wind, rotate the end plug over the top and towards the RV.



**CAREFREE TRAVEL LOCK**

001520 BLACK  
001521 WHITE

To suit Fiesta/Spirit roll up awnings. Holds the awning arms together while the awning is in the closed position.



**CAREFREE SUPPORT CRADLE**

001476 BLACK  
001477 WHITE

Fits all roller awning brands, the awning support has a pivoting head. Once you roll up your awning, the pivoting head receives the roller and supports it, eliminating weight stress in the centre.

**FEATURES:**

- Durable contoured arms in white or black



**CAREFREE HANDLE**

001522 BLACK  
001523 WHITE

Replacement handle to suit Carefree Universal Hardware.



**CAREFREE BOTTOM BRACKET**

001526 BLACK  
001527 WHITE

Replacement bottom bracket to suit Carefree Universal Hardware.



**CAREFREE CARPORT FOOT**

001524 BLACK  
001525 WHITE

Replacement foot that fits to bottom of removable arm.



**CAREFREE BRACE SLIDER**

001528 SLIDER  
001529 SLIDER RIVET

Replacement brace slider to suit Carefree Fiesta/Spirit Universal Hardware.



**CAREFREE LOCKING KNOB (PACK OF 2)**

001569

To suit Carefree Spirit/Fiesta rafters.



**CAREFREE TOP BRACKET**  
001542 BLACK  
001544 WHITE

Replacement top bracket to suit Carefree Fiesta/Spirit Universal Hardware.



**CAREFREE END PIN KIT - BLACK**  
026327

To suit Carefree Centre Rafter.



**CAREFREE CANOPY CLAMP**  
001547

These durable clamps mount to your Carefree awning rafter arm and easily fold out when needed. Soft rubber protects your canopy and keeps it from flapping in the breeze.

- White



**CAREFREE REMOTE LOCK**  
001571 BLACK  
001572 WHITE

To suit Spirit/Fiesta Universal Hardware.



**CAREFREE AWNING PULL STRAP**  
001565

Assists in the set-up of your awning. Used to prevent the awning rolling up of its own accord. Suitable for roll up awnings.



**CAREFREE ARM STOP BOLT**  
001491

To suit Fiesta/Fade/Wave/Simplicity hardware. Pack of 2.



**CAREFREE AWNING DOOR ROLL KIT**  
001562

Prevents the corner of your entrance door from rubbing against the awning fabric.



**CAREFREE NUT SERT TOOL KIT**  
001489 NUT SERT TOOL KIT  
001573 ALI MOUNTING PLATES

To suit Fiesta/Fade/Wave/Simplicity hardware.



**CAREFREE BRACE LOCK KNOB**  
001490

To Suit Fiesta/Fade/Wave/Simplicity hardware. Pack of 2.

**REPLACEMENT SPARE PARTS**

- 001536 CAREFREE UNIV UPPER BRACE SATIN
- 001537 CAREFREE UNIV UPPER BRACE WHITE
- 041679 CAREFREE UPPER BRACKET
- 001501 CAREFREE UNIV MAIN UPPER ARM WHITE

# AWNINGS - FIAMMA



## FIAMMA F65 AWNINGS

**FIAMMA F65 AWNING - POLAR WHITE CASE**  
 044310 4.0M ROYAL GREY  
 044312 4.9M ROYAL GREY

**FIAMMA F65 L AWNING - TITANIUM CASE**  
 044314 4.0M ROYAL GREY

### FIAMMA F65 S AWNING

A larger sized awning with extra large roller tube, perfect for bigger motorhomes. With its renewed technical and modern design, this awning is more advanced and more functional than ever.

#### FEATURES:



- UV resistant, waterproof and washable
- Roofline mounted
- Privacy room option available
- Polar White or Titanium hardware

#### SPECIFICATIONS:

- Reinforced leg knuckle
- Drip moulding
- Arms preset for LED

\*Awning for the main door, comes without vertical support legs

| PART NO. | DESCRIPTION   | AWNING LENGTH (A) | CANOPY LENGTH (B) | EXTENSION (C) | SHADE SURFACE | WEIGHT        |
|----------|---|-------------------|-------------------|---------------|---------------|---------------|
| 044308   | F65 S 3.2M POLAR WHITE - 10'6", 8'2" PROJECTION, 58.7LBS ROYAL BLUE | 10'6" (3.20M)     | 10'1" (3.08M)     | 8'2" (2.50M)  | 83FT2 (7,7M2) | 59LB (26.5KG) |
| 044309   | F65 S 3.4M POLAR WHITE - 11'2", 8'2" PROJECTION, 62 LBS. ROYAL GREY | 11'2" (3.40M)     | 10'9" (3.28M)     | 8'2" (2.50M)  | 88FT2 (8,2M2) | 62LB (28KG)   |
| 044313   | F65 S 3.7M* TITANIUM - 12'1", 8'2" PROJECTION, 66 LBS. ROYAL GREY   | 12'2" (3.70M)     | 11'9" (3.58M)     | 8'2" (2.50M)  | 97FT2 (9,0M2) | 66LB (30KG)   |



## FIAMMA F45 S AWNING

| PART NO. | DESCRIPTION   | AWNING LENGTH (A) | CANOPY LENGTH (B) | EXTENSION (C) | SHADE SURFACE   | WEIGHT        |
|----------|---|-------------------|-------------------|---------------|-----------------|---------------|
| 044293   | F45 S 2.6M POLAR WHITE - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL GREY    | 8'9" (2.63M)      | 8'1" (2.47M)      | 6'6" (2.00M)  | 53FT2 (4,9M)    | 43LB (19.5KG) |
| 044294   | F45 S 2.6M POLAR WHITE - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL BLUE    | 8'9" (2.63M)      | 8'1" (2.47M)      | 6'6" (2.00M)  | 53FT2 (4,9M)    | 43LB (19.5KG) |
| 044295   | F45 S 3.0M** POLAR WHITE - 10'1", 8'2" PROJECTION, 51 LBS. ROYAL GREY | 10'1" (3.08M)     | 9'7" (2.92M)      | 8'2" (2.50M)  | 79FT2 (7,3M2)   | 51LB (23KG)   |
| 044296   | F45 S 3.0M** POLAR WHITE - 10'1", 8'2" PROJECTION, 51 LBS. ROYAL BLUE | 10'1" (3.08M)     | 9'7" (2.92M)      | 8'2" (2.50M)  | 79FT2 (7,3M2)   | 51LB (23KG)   |
| 044297   | F45 S 3.5M** POLAR WHITE - 11'6", 8'2" PROJECTION, 55 LBS. ROYAL GREY | 11'5" (3.48M)     | 10'10" (3.31M)    | 8'2" (2.50M)  | 89FT2 (8,3M2)   | 55LB (25KG)   |
| 044298   | F45 S 3.5M** POLAR WHITE - 11'6", 8'2" PROJECTION, 55 LBS. ROYAL BLUE | 11'5" (3.48M)     | 10'10" (3.31M)    | 8'2" (2.50M)  | 89FT2 (8,3M2)   | 55LB (25KG)   |
| 044299   | F45 S 4.0M** POLAR WHITE - 13'1", 8'2" PROJECTION, 60 LBS. ROYAL GREY | 13'1" (3.98M)     | 12'9" (3.88M)     | 8'2" (2.50M)  | 104FT2 (9,7M2)  | 60LB (27KG)   |
| 044300   | F45 S 4.0M** POLAR WHITE - 13'1", 8'2" PROJECTION, 60 LBS. ROYAL BLUE | 13'1" (3.98M)     | 12'9" (3.88M)     | 8'2" (2.50M)  | 104FT2 (9,7M2)  | 60LB (27KG)   |
| 044301   | F45 S 4.5M** POLAR WHITE - 14'8", 8'2" PROJECTION, 66 LBS. ROYAL GREY | 14'8" (4.48M)     | 14'2" (4.31M)     | 8'2" (2.50M)  | 116FT2 (10,8M2) | 66LB (30KG)   |
| 044302   | F45 S 4.5M** POLAR WHITE - 14'8", 8'2" PROJECTION, 66 LBS. ROYAL BLUE | 14'8" (4.48M)     | 14'2" (4.31M)     | 8'2" (2.50M)  | 116FT2 (10,8M2) | 66LB (30KG)   |
| 044306   | F45 S 2.6M TITANIUM - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL GREY       | 8'9" (2.63M)      | 8'1" (2.47M)      | 6'6" (2.00M)  | 53FT2 (4,9M)    | 43LB (19.5KG) |
| 044307   | F45 S 4.0M** TITANIUM - 13'1", 8'2" PROJECTION, 60 LBS. ROYAL GREY    | 13'1" (3.98M)     | 12'9" (3.88M)     | 8'2" (2.50M)  | 104FT2 (9,7M2)  | 60LB (27KG)   |
| 044050   | F45 S 2.6M DEEP BLACK - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL GREY     | 8'9" (2.63M)      | 8'1" (2.47M)      | 6'6" (2.00M)  | 53FT2 (4,9M2)   | 43LB (19.5KG) |
| 044051   | F45 S 3.0M** DEEP BLACK - 10'1", 8'2" PROJECTION, 51 LBS. ROYAL GREY  | 10'1" (3.08M)     | 9'7" (2.92M)      | 8'2" (2.50M)  | 79FT2 (7,3M2)   | 51LB (23KG)   |
| 044052   | F45 S 3.5M** DEEP BLACK - 11'6", 8'2" PROJECTION, 55 LBS. ROYAL GREY  | 11'5" (3.48M)     | 10'10" (3.31M)    | 8'2" (2.50M)  | 89FT2 (8,3M2)   | 55LB (25KG)   |

Up-to-date model of the F45 awning. The renewed design is more compact and more functional with a lot of technical improvements. The lead bar has two tracks allowing for use as sunscreen or LED lights. Simple to use and easy to install on the wall of your RV. Sturdy and safe to operate with an easy to hook winch loop. Polar white or Titanium hardware.

#### FEATURES:

- UV resistant, waterproof, washable
- Designed for wall installation and delivered with standard installation brackets
- Privacy room option available

\*\* 1 tension rafter made of anodized aluminum included.





## FIAMMA CARAVANSTORE BAG AWNING - ROYAL GREY

A lightweight bag awning with a manual rollout operation. Specifically made for caravans and minivans, the Caravanstore Awning has an extra wide roller tube which can be rewound without the fabric wrinkling. It takes seconds to roll out and since the legs are inside the roller tube, they too are quick and easy to position. The legs are hinged and telescopic so they can't fall out and get lost. The design of the Caravanstore Awning has been improved recently and now comes with a central rafter fixing kit to ensure a centre rafter is installed safely (from Caravanstore 255). The lead bar now also features a second track so that a sunscreen or LED lights can be fitted.

### FEATURES:

- UV resistant, waterproof and rot proof vinyl with
- Soft vinyl bag with self lubricating zipper
- Easy installation

| PART NO. | DESCRIPTION      | AWNING LENGTH | CANOPY LENGTH | EXTENSION | SHADE SURFACE | WEIGHT |
|----------|------------------|---------------|---------------|-----------|---------------|--------|
| 044283   | CARAVANSTORE 190 | 1.9M          | 1.62M         | 1.8M      | 2.9M2         | 6.1KG  |
| 044284   | CARAVANSTORE 225 | 2.36M         | 2.02M         | 2.25M     | 4.5M2         | 7.6KG  |
| 044285   | CARAVANSTORE 255 | 2.66M         | 2.23M         | 2.25M     | 5.2M2         | 8.4KG  |
| 044286   | CARAVANSTORE 280 | 2.88M         | 2.54M         | 2.25M     | 5.7M2         | 9.0KG  |
| 044287   | CARAVANSTORE 310 | 3.18M         | 2.84M         | 2.25M     | 6.4M2         | 10.2KG |
| 044288   | CARAVANSTORE 360 | 3.69M         | 3.34M         | 2.25M     | 7.5M2         | 11.3KG |



## FIAMMA F35 PRO AWNING

### ROYAL GREY

Perfect for your minivan, 4x4 or even a station wagon. Housed in a light anodized aluminium case, the Fiamma F35Pro has a manual mechanism - press the red button on the side of the casing to open, then walk backwards while unrolling the awning. The drop down legs are housed inside the roller tube.

### FEATURES:

- UV resistant, waterproof and washable
- Designed for wall installation and delivered with standard installation brackets
- Case is made from extra strong anodized aluminium

| PART NO. | DESCRIPTION | AWNING LENGTH | EXTENSION | WEIGHT |
|----------|-------------|---------------|-----------|--------|
| 044290   | F35 PRO 180 | 1.8M          | 1.8M      | 6.0KG  |
| 044291   | F35 PRO 250 | 2.5M          | 2.25M     | 8.5KG  |
| 044292   | F35 PRO 300 | 3.0M          | 2.25M     | 10.5KG |





## FIAMMA SPARE PARTS



### FIAMMA RAFTER PRO (CURVED) 001615

Keeps tension in the fabric, eliminates waterpooling and noisy flapping caused by the wind.

#### FEATURES:

- Sturdy anodised aluminum telescopic bars
- Complete with rubber ends so it can be installed on other awning brands

#### SPECIFICATIONS:

- Ideal for awnings with extension up to 2.5m adjustable in length from 1.44m to 2.65m



### FIAMMA AWNING LED LIGHT KIT 038914

Composed of two strips of 10 LED lights, low consumption, 12V power supply cable 5m long. Easy joint installation by simple pressure on the front bar. Also fits previous awning versions.

#### FEATURES:

- 2 x 9 LED lamps and 12V cable
- Easy to install on front bar of most models of F45 and F65 awnings



### FIAMMA CLIP SYSTEM 040272

For quick and easy installation of Fiamma Privacy Room end walls.

#### FEATURES:

- Suitable for all Fiamma F45/F65 Awnings with 2500mm canopy extension
- The installation kit can be installed on F45S, F45Ti, F45TiL
- For installation to F45 Plus and F45 Plus L, it is necessary to shorten the clip system



### FIAMMA F45TI 12V MOTOR KIT 039610 FIAMMA F45Ti 041449 FIAMMA F45S 040613 FIAMMA F45TiL

Motor kit 12V DC accessory. It allows manual opening and closing in override mode and extends the total length of the awning by only 150mm.



### CURVED ROOF RAFTER WITH BRACKET 001616

Curved roof rafters are used to keep the vinyl roof from sagging, ensuring 100% water run-off, as well as keeping the fabric tight and reducing wind flap. Best results are achieved when used in conjunction with an anti-flap kit.



### FIAMMA AWNING TIE DOWN KIT 001610 UP TO 25FT

Anchors awning to the ground in windy conditions.

#### FEATURES:

- Kit includes 11m of black adjustable strap, pegs and tension spring
- Fits awnings up to 6m in length
- Fits into the awning rails or the side clip of the privacy room



**DEFLAPPER SPARE STRAPS**  
035271  
De-flapper spare straps. Pack of 2.



**ROPE TRACK DOUBLE**  
042065 6.0M BLACK  
042064 6.0M CLEAR ANODIZED  
001649 6.5M BRIGHT WHITE  
Double fixing, aluminum track for securing vertical walls of annex.



**ROPE TRACK SINGLE**  
042060 6.0M BLACK  
001650 5.5M BRIGHT WHITE  
042063 6.0M CLEAR ANODIZED  
001646 6.5M BRIGHT WHITE  
Single fixing, aluminum track for securing vertical walls of annex.



**AWNING CLEANER**  
000575  
Removes mould, dirt, mildew, tree sap and grime from vinyl awnings.

- SPECIFICATIONS:**
- 946ml



**AUSTRALITE ANNEX PROTECTOR**  
015628  
Fits to leading edge of main door and protects annex/awning roof from damage.



**HAPPY HOOK AWNING TIE DOWN KIT**  
001609  
Attach Happy Hook to awning or tent and screw stakes into the ground and adjust poly tie-down cords. Fully rotates to keep fabric taught without stretching or separating.



**AWNING DEFLAPPER**  
044488  
Universal fit. Helps prevent noisy flapping and protects from rips and tears.

- FEATURES:**
- Ready to use
  - No tools needed
  - Secure holding power without marring, staining, sticking or slipping
  - No holes, notches or rivets required to assemble.

- SPECIFICATIONS:**
- Grip plate 50mm x 25mm
  - Pack of 2



**AWNING DEFLAPPER MAX**  
033583  
Universal fit. Helps prevent noisy flapping and protects against rips and tears. Works with screen room in place.

- FEATURES:**
- Large knob, allows for easy turn. The body is designed to hold your awning taught and it will not fade in the sun
  - Soft pads are made to hold your awning without leaving any unwanted marks

- SPECIFICATIONS:**
- Grip plate 200mm x 50mm
  - Strap length makes it unsuitable for pop-tops
  - Max distance between edge of fabric and inside edge of arm is 130mm
  - Pack of 2



**AWNING ANTI FLAP KIT**  
039918 SHORT 2100MM - 2200MM  
038631 MEDIUM 2200MM - 2300MM  
001617 LONG 2300MM - 2400MM

Will hold complete length of awning plus rope track for easy assembly of walls.

- FEATURES:**
- Easy assembly



**FIAMMA PRIVACY ROOM**


- 044341 PRIVACY ROOM 320 FITS DUCATO
- 044351 PRIVACY ROOM VAN 260 FITS VW
- 044342 PRIVACY ROOM FRONT PANEL 80

Double your outdoor living space with one of Fiamma's Privacy Rooms. Suitable for use on F45S and F45L awnings, they transform your awning into a comfortable living space. The front panel is inserted into the track of the lead bar, and is joined to the side panels by zippers. Includes 1 front panel with door and window (with mosquito nets), 2 side panels with windows (with mosquito nets), 1 fast clip system, support poles, curtains for all windows and a mega bag for storage.

**SPECIFICATIONS:**

- The side panels are quickly put together with the fast clip that combines the canopy with the side walls
- Guaranteed close fit
- The front panel is inserted in the front rail of the awning and joined to the side panels with zippers

| PART NO. | DESCRIPTION             | AWNING LENGTH (A) | HEIGHT FROM GROUND (B) | EXTENSION (C) | WEIGHT |
|----------|-------------------------|-------------------|------------------------|---------------|--------|
| 044343   | PRIVACY ROOM MEDIUM 300 | 3.0M              | 2.25-2.5M              | 2.5M          | 24.5KG |
| 044344   | PRIVACY ROOM MEDIUM 350 | 3.5M              | 2.25-2.5M              | 2.5M          | 24.9KG |
| 044345   | PRIVACY ROOM MEDIUM 400 | 4.0M              | 2.25-2.5M              | 2.5M          | 25.4KG |
| 044346   | PRIVACY ROOM LARGE 300  | 3.0M              | 2.51-2.8M              | 2.5M          | 24.7KG |
| 044347   | PRIVACY ROOM LARGE 350  | 3.5M              | 2.51-2.8M              | 2.5M          | 25.2KG |
| 044348   | PRIVACY ROOM LARGE 400  | 4.0M              | 2.51-2.8M              | 2.5M          | 25.7KG |
| 044349   | PRIVACY ROOM LARGE 450  | 4.5M              | 2.51-2.8M              | 2.5M          | 26.2KG |
| 044350   | PRIVACY ROOM LARGE 500  | 5.0M              | 2.51-2.8M              | 2.5M          | 26.7KG |
| 044352   | PRIVACY ROOM LARGE 550  | 5.5M              | 2.51-2.8M              | 2.5M          | 28.0KG |





### CAMEC PREMIUM RV COVERS

#### CAMEC CARAVAN COVER

|        |                            |          |            |
|--------|----------------------------|----------|------------|
| 044108 | CAMEC CARAVAN COVER C16CCV | 14 - 16' | 4.3 - 4.8M |
| 044109 | CAMEC CARAVAN COVER C18CCV | 16 - 18' | 4.8 - 5.4M |
| 044110 | CAMEC CARAVAN COVER C20CCV | 18 - 20' | 5.4 - 6.0M |
| 044111 | CAMEC CARAVAN COVER C22CCV | 20 - 22' | 6.0 - 6.6M |
| 044112 | CAMEC CARAVAN COVER C24CCV | 22 - 24' | 6.6 - 7.3M |

#### CAMEC POP-TOP COVER

|        |                            |          |            |
|--------|----------------------------|----------|------------|
| 044113 | CAMEC POP-TOP COVER C14PCV | 12 - 14' | 3.7 - 4.4M |
| 044114 | CAMEC POP-TOP COVER C16PCV | 14 - 16' | 4.3 - 4.8M |
| 044115 | CAMEC POP-TOP COVER C18PCV | 16 - 18' | 4.8 - 5.4M |
| 044116 | CAMEC POP-TOP COVER C20PCV | 18 - 20' | 5.4 - 6.0M |

#### CAMEC CAMPER TRAILER COVER

|        |                               |          |            |
|--------|-------------------------------|----------|------------|
| 044105 | CAMEC CAMPER TR COVER C12CTCV | 10 - 12' | 3.0 - 3.7M |
| 044106 | CAMEC CAMPER TR COVER C14CTCV | 12 - 14' | 3.7 - 4.3M |
| 044107 | CAMEC CAMPER TR COVER C16CTCV | 14 - 16' | 4.3 - 4.8M |

Camec Premium RV Covers have been designed and manufactured to protect your caravan from being exposed to harsh climatic conditions.

#### QUALITY

Specially manufactured using a composite of two materials comprising a water resistant roof section for maximum protection, weather resistant breathable side panels which allows the cover to breathe and moisture to evaporate resisting rot and mildew, ventilation flaps and a heavy duty reinforced skirt with an elasticised hem front and rear providing a strong guard against damage from sharp objects.

#### PROTECTION

The cover will provide excellent protection against acid rain, industrial pollutants, tree sap, bird droppings, dust and weather damage caused by leaving your caravan uncovered whilst exposed to the weather.

#### FEATURES:

- 300D water resistant UV 50+ roof section
- Water resistant breathable side panel
- Reinforced skirt with dual nylon clip
- Double stitched reinforced corners
- Ventilation flaps
- Soft non abrasive lining
- 3 year warranty



MATTING



**CAMEC FLOOR MATTING**

- 044089 3.0M X 2.5M
- 044090 4.5M X 2.5M
- 044091 5.0M X 2.5M
- 044092 6.0M X 2.5M
- 044093 7.0M X 2.5M

**FEATURES:**

- Multi-layered matting construction provides superior underfoot comfort
- Designed specifically to keep dirt, mud and sand from being walked into your caravan, RV or tent
- Great for picnics and any outdoor event
- Open mesh floor matting will not kill grass - preferred by all caravan parks
- Edges bounded by heavy duty webbing with brass eyelets for pegging down



## C-GEAR MULTIMAT OUTDOOR CAMPING MAT

038341 1.8M X 2.4M (8' X 6')  
 039256 2.4M X 3.35M (8' X 11')  
 038342 2.4M X 4.3M (8' X 14')  
 039616 2.4M X 5.2M (8' X 17')  
 038343 2.4M X 6.0M (8' X 20')  
 040022 2.4M X 7.5M (8' X 24')  
 039972 3.05M X 3.05M (10' X 10')  
 038344 3.6M X 4.6M (12' X 15')

Sand and dirt fall straight through the mat to the ground beneath, not back up through the mat. Ideal for outdoor living areas and provides a sand and dirt free area for camping sites. It can be used as a shade mat (providing 90%+ UV protection) or as a windbreak for screening. Designed in Australia.

### FEATURES:

- Sand and dirt fall readily through the mat
- Perfect for use under camp furniture
- UV stabilisers minimise degradation of mats from exposure to the sun
- Non-absorbent and will not rot or mould
- Liquid spills go through the mat
- Easy to wipe clean or hose down
- Environmentally friendly on the grass underneath, it doesn't kill grass
- May be used for shade or as a wind break
- Recyclable
- Lightweight and easy to set up and pack away
- Reinforced edges and multiple D-rings
- Durable and won't tear or fray, even if cut, due to rip stop technology
- Comes with a drawstring carry bag



## CAMEC PRIVACY SCREEN

043480 CAMEC PRIVACY SCREEN 2.8MX1.8M  
 043481 CAMEC PRIVACY SCREEN 3.1MX1.8M  
 043482 CAMEC PRIVACY SCREEN 3.4MX1.8M  
 043483 CAMEC PRIVACY SCREEN 3.7MX1.8M  
 043484 CAMEC PRIVACY SCREEN 4.0MX1.8M  
 043485 CAMEC PRIVACY SCREEN 4.3MX1.8M  
 043486 CAMEC PRIVACY SCREEN 4.6MX1.8M  
 043487 CAMEC PRIVACY SCREEN 4.9MX1.8M  
 043488 CAMEC PRIVACY END POP TOP  
 043489 CAMEC PRIVACY END CARAVAN

### FEATURES:

- 90% shade and UV block providing ultimate sun protection
- Stainless steel D-rings stitched to reinforced tabs across bottom edge for securing (ropes and pegs not supplied)
- Feature a double rope track - 5mm and a 7mm spline to suit various awning styles



PRIVACY SCREEN PEGS & CORDS  
 044556

Pack of 5.