


MAJOR APPLIANCES

Microwaves.....	38
Washing.....	39
Rangehoods.....	41
Air conditioning.....	43
Vitrifrigo refrigeration.....	44
Dometic fridges.....	48
Engel fridges.....	49
Fridge accessories.....	50
Fridge spare parts.....	50
Stoves and cookers.....	51





MICROWAVES



CAMEC MICROWAVE 20 LITRE 700 WATT
044431

Compact design microwave with easy to read LCD display and simple operation so you can be cooking in no time! Includes 5 power levels, preset mode - allows you to program the microwave to start at a later time, one-touch Quick Start cooking, auto defrost, auto cook modes make cooking or heating common items quick and easy. Simply select the food type then select either the weight or quantity to start.

Cooking/heating modes include: Milk/coffee, rice, spaghetti, potatoes, auto reheat, fish and pizza popcorn.

FEATURES:

- Latest design
- Digital control
- 8 Auto Cook modes
- Clock
- Blue LCD display
- Quick Start cooking
- Auto Defrost
- Delayed start cooking
- Multi stage cooking
- Child lock
- 12 month warranty

SPECIFICATIONS:

- Dimensions: 452mm(w) x 262mm(h) x 333mm(d)
- Weight 10.5kg
- 700W output/1200W input
- 240V operation



CAMEC MICROWAVE 25 LITRE 900 WATT
041439
043520 GLASS TRAY

Designed with the RV market in mind, our microwave features a large mirror finish door that is an ideal match for modern RVs and cookers with mirror top lids.

FEATURES:

- Auto Cook with 8 pre-set common food settings
- Stylish design to suit RVs
- 5 selectable power levels
- Easy defrost mode

SPECIFICATIONS:

- Dimensions: 483mm(w) x 281mm(h) x 399mm(d)
- Weight: 14.8kg
- 900W output/1400W input
- 240V operation



COMPACT RV 4KG FRONT LOAD WASHING MACHINE
042308

With a large 4kg capacity for its size, you can now enjoy all of the features and wash modes you are accustomed to with your home machine, right in your RV. Requiring only a cold water supply hot water washing is possible using the machine's in-built heater element.

FEATURES:

- 15 wash programs including 3 quick wash modes (14, 30 and 59 min)
- 400-1000 RPM spin speed (adjustable)
- Special AQUAPLUS "delicate skin" wash mode
- Auto water level control
- Delayed start option
- Bi-directional wash selector knob
- Wash time remaining display

SPECIFICATIONS:

- 240V operation
- Weight: 47kg
- Dimensions: 510mm(w) x 430mm(d) x 700mm(h)
- Water Usage: Min 19L, max 45L depending on load size and wash cycle
- 1300W max power consumption (hot wash)
- 230W power consumption (cold wash)
- 12 month warranty



CAMEC COMPACT RV 3.0KG WASHING MACHINE
044131

Our latest top load washing machine features a larger 3kg washing capacity and is the only machine in its class to offer an optional hot wash cycle using cold water (this feature adds approximately 20-40 min to the cycle time). And our exclusive LED drum light will help you find that missing sock!

FEATURES:

- Economical cold water washing with hot wash option
- Blue LED display with wash time remaining function
- 6 washing program combinations
- High and low water level adjustment for large and small loads
- Precision stainless steel wash tub
- Clothes basket doubles as a tub stabiliser
- LED drum light
- Securing strap and basket included

SPECIFICATIONS:

- 240V operation
- Power consumption: 235W (cold) 1035W (hot)
- Load capacity 3.0kg
- Dimensions: 470mm(w) x 820mm(h) x 465mm(d)
- Water Usage: Approx 20L on low and 26L on high
- Weight: 18kg
- Spin cycle speed: 900 RPM



CAMEC COMPACT RV 2.5KG WASHING MACHINE
041133

Ideal for caravans and motorhomes, this easy to use fully automatic RV washing machine offers washing convenience wherever your travels take you. Featuring simple controls and flexible washing modes, you have the convenience of washing when you want.

FEATURES:

- Economical cold water washing
- Blue LED display with wash time remaining function
- 7 washing program combinations including Quick Wash
- High and low water level adjustment for large and small loads

SPECIFICATIONS:

- 240V operation
- Dimensions: 410mm(w) x 640mm(h) x 420mm(d)
- Water Usage: Approx 15L on low and 20L on high
- Weight: 16kg
- Spin cycle speed: 900 RPM



DOMETIC FRONT LOAD WASHING MACHINE WMD1050
033474

FEATURES:

- Hot or cold water fill
- Can be under-counter or free standing
- Space saving design
- Economy and quick wash options with 9 different programs and 7 temperature options

SPECIFICATIONS:

- Weight: 54kg
- 240V/50Hz
- Dimensions: 495mm(l) x 670mm(h) x 515mm(d)



CAMEC COMPACT RV 3.2KG DRYER
041834

Ideal for caravans and motorhomes, this compact RV Dryer offers drying convenience wherever your travels take you. Featuring simple operation, it is the perfect partner for the Camec 4kg front load washing machine.

FEATURES:

- Specially designed to be mounted upside down if required providing the option of a left or right hand hinged door
- Low maintenance with easy to clean filters
- 850W 240V operation
- Rear venting with universal RV duct kit included

SPECIFICATIONS:

- Dimensions: 495mm(w) x 606mm(h) x 410mm(d)
- Weight: 17kg
- Voltage: 220-240V, 50/60Hz

WASHING MACHINE SPARE PARTS FOR 2.5KG (041133) & 3KG (044131)

				
REPLACEMENT STABILISER BASKET - PART ID C2 041921	REPLACEMENT LID INCLUDING MAGNET - PART ID 2 041922	REPLACEMENT INLET HOSE - PART ID 80 041923	REPLACEMENT WATER LEVEL SENSOR - PART D 7 041908	REPLACEMENT/MOUNTING BRACKET - PART ID C1 041920
				
DRAIN HOSE - PART ID 89 042798	PUMP HOSE HQ RUBBER - PART ID 93 042797	HOSE CLAMP - PART ID 94 042796	WATER INLET VALVE - PART ID 16 041912	SPIN SENSOR - PART ID 6 041907
				
PCB BOARD - PART ID 5 Suits 041133 only. 041906	MODE SWITCH - PART ID 55 T 041911	V-BELT - PART ID 65 041914	MOTOR - PART ID 68 041909	MOTOR PULLEY - PART ID 66 041919
				
LID SPRING - PART ID 21 041915	DRAIN PUMP - PART ID 91 041913	REPLACEMENT BASE COVER - PART ID 31 041928	AIR TRAP HOSE - PART ID 9 041918	PCB BOARD PART ID 5 044673 Suits 04131 only

WASHING MACHINE SPARE PARTS FOR FRONT LOAD 4.0KG 042308

				
DRAIN HOSE - PART ID 142 043529	DAMPER ASSEMBLY - PART ID 250/251/256/281 043530	CONTROL PANEL - PART ID 31 043532	DOOR FRAME - PART ID 62 043533	FOOT ASSEMBLY - PART ID 80 043534
				
INLET VALVE - PART ID 134 043535	PRESS SWITCH - PART ID 153 043536	MOTOR - PART ID 161 043537	DOOR LOCK - PART ID 162 043538	DOOR SEAL - PART ID 271 043539
				
SUMP/DRAIN - PART ID 272 043540	TUB HOSE - PART ID 273 043541	HEAT ELEMENT - PART ID 286 043542	PULLEY - PART ID 290 043543	PCB - PART ID 328 043545
				
FILTER COVER - PART ID 604 043546	HINGE ASSEMBLY - PART ID 242B 043550	CONTROL KNOB - PART ID 10 043531	BELT - PART ID 292 043544	PUMP - PART ID 16 043547
		<p>SPRINGS 043548 LEFT - PART ID242A 043549 RIGHT - PART ID 242B</p>		<p>MORE FRONT LOAD 4.0KG SPARES 043551 DISPENSER DRAWER - PART ID 101</p>



CAMEC 12V TURBO FLUSH MOUNT RANGEHOOD
040865

With a stainless steel exterior and featuring proven components, powerful twin 2-speed extraction fans, removable filter and stylish custom LED strip lighting, CAMEC's 12V Turbo Flush Mount Rangehood is a great addition to any RV. This rangehood is equipped with twin high performance turbo dual speed fans (not just computer fans) connected to a custom vented ducting system to ensure the swift removal of cooking vapours, odours and heat. Ducting can be directed either through the side or rear of the unit simply by changing the position of the supplied outlet adaptor.

FEATURES:

- Convenient side or rear air venting
- Removable filter for easy cleaning and replacement
- Illuminated, reliable control buttons
- 2 bright LED strip lights
- Stainless steel construction
- Proven design components
- Powerful 12V 2 speed twin turbo extractor fans

SPECIFICATIONS:

- Mounting Cavity - 465mm(w) x 187mm(d) x 53mm(h)
- External Body - 518mm(w) x 228mm(d) x 15.6mm(h)

SUPPLIED ACCESSORIES:

- Outlet adaptor
- 0.5m flexible duct hose
- Allen key



CAMEC RANGEHOOD 12V 2-SPEED LED DOWN LIGHTS
040864

Stainless Steel finish with twin turbo extraction fans and dual low energy LED down lights. Also features a removable filter for easy cleaning and illuminated touch controls. Venting is rear or roof selectable and an optional 50mm venting adaptor (041132) is also available if a venting hose is required.

FEATURES:

- Illuminated control buttons
- Powerful 12V turbo 2 speed twin extractor fans
- Convenient roof or rear air venting
- Removable filter for easy cleaning and replacement.

SPECIFICATIONS:

- 2 low energy LED down lights
- Dimension: 586mm(l) x 305mm(w) x 60mm(h)

RANGEHOOD SPARE PARTS



REPLACEMENT LED DOWN LIGHT LONG LEAD TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)
041751
Each.



REPLACEMENT LED DOWN LIGHT SHORT LEAD (PCB SIDE) TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)
041762
Each.



REPLACEMENT FILTER TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)
041755



REPLACEMENT FAN TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)
041477



REPLACEMENT SWITCH PANEL TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)
041753



REPLACEMENT CIRCUIT BOARD TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040865 & 040864)
044467



ELECTROLUX FLUSH MOUNT RANGEHOOD 12V CK150
017022

FEATURES:

- Easy installation with removable washable filter
- Silent 12V operation
- Integrated halogen light. 1 speed fan
- Powerful performance
- Flush mount

SPECIFICATIONS:

- 375mm(l) x 50mm(h) x 140mm(d)



REPLACEMENT FRONT STICKER TO SUIT CAMEC 12V RANGEHOOD (REFER TO CODE 040684)
041754



SWITCH FOR CAMEC RANGEHOOD
003513

Note: This switch will illuminate for the 12V rangehoods.



OUTLET ADAPTOR TO SUIT CAMEC 12V RANGEHOOD - REFER CODE 040864
041132

Outlet Adaptor for Camec 12V Rangehood (refer code 040864).



CAMEC RANGEHOOD DUCT TUBE BLACK
042359

To suit 041132 rangehood adaptor. 1000mm length.



IBIS3 R/C AIR CONDITIONER (8000001)
042523

The Ibis 3 model includes higher capacity heating and cooling and is stylish, ultra low profile, and super quiet.

FEATURES:

- Whisper quiet operation (8Db) quieter on high fan speed than the Ibis 2
- Massive increase in air flow with the unique 'S Flow' air distribution providing more air, more efficiently
- Ultra thin, stylish four-way independently closing inside plenum with easily removable filter for cleaning
- Premium quality generator start technology included as standard (check with your generator supplier for compatibility)
- Easier to fit with the revolutionary weather collar, improving the seal on the roof while reducing amount of sealant required

SPECIFICATIONS:

- Overall Dimensions: 1160mm(l) x 848mm(w) x 222mm(d)
- Plenum Dimensions: 535mm(l) x 535mm(w) x 32mm(d)
- Install Weight: 45kg
- Opening: 360mm x 360mm
- Cooling Capacity: 3.1kW
- White



CORMORANT REVERSE CYCLE AIR CONDITIONER (5750001/5702007)
002497

The Cormorant is one of the highest capacity caravan/RV air conditioners on the market with 3.5KW cooling and heating, suitable for up to 23' vans. The unit boasts remote/electronic controls and is fully reverse cycle with electronic defrost to allow operation in -5°C degrees.

FEATURES:

- Designed to dehumidify the air to help asthma sufferers and fitted with a stylish internal plenum

SPECIFICATIONS:

- Installed Weight (including plenum): 45kg
- Overall Dimensions: 1050mm(l) x 715mm(w) x 346mm(h)
- Plenum Dimensions: 555mm(l) x 535mm(w) x 65mm(h)
- Roof Opening: 360mm(l) 360mm(w)
- Air Delivery Maximum: 150 litres
- Nominal Cooling Capacity: 3.5kw
- Heating Capacity: 3.6kw
- Current Draw: Cooling: 5.6A
- Current Draw: Heating: 5.2A
- Inside Air Delivery, Maximum: 150 litres



SPARROW REVERSE CYCLE AIR CONDITIONER (5850001+ 5852006)
039253

The Sparrow reverse cycle heat pump roof top air conditioner is a lightweight rooftop style unit.

FEATURES:

- The Sparrow provides both heating and cooling as well as filtered and dehumidified air
- Its lightweight design makes it suitable for a range of applications that the bigger units are unable to achieve
- Australian made

SPECIFICATIONS:

- Nominal Cooling Capacity: 2.0kw
- Heating Capacity: 2.2kw
- Current Draw: Cooling: 3.9A
- Current Draw: Heating: 4.0A
- Inside Air Delivery, Maximum: 110l/s
- Total Weight: 29kg
- Overall Dimensions: 975mm(l) x 560mm(w) x 65mm(h)
- Plenum Dimensions: 555mm(l) x 535mm(w) x 65mm(h)



JABIRU ALL-IN-ONE REVERSE CYCLE AIR CONDITIONER - 6100001
040206

The Jabiru is a unique all-in-one unit designed to fit into the cupboard of your caravan, small RV or camper trailer.

FEATURES:

- Electronic climate control LED control panel
- Full function remote control with sleep timer and dehumidifying functions
- Heat pump reverse cycle heating and cooling with electronic defrost

SPECIFICATIONS:

- Electrical rating (single phase) 240V, 50 hz
- Nominal Cooling Capacity: 2.2KW
- Nominal Heating Capacity: 2.2KW
- Current Draw: Cooling 5.2A
- Current Draw: Heating 5.2A
- Air Delivery Maximum: 120l/s
- Overall Weight: 40kg
- Overall Height: 750mm
- Overall Width: 300mm
- Fascia Depth: 15mm projecting from the outside of the cupboard face
- Recess Required: 747mm(h) x 270mm(w) x 565mm(d) (the rear duct that projects through the wall is 42mm long and 565mm depth, total depth with duct is 607mm)



DOMESTIC HARRIER ROOF MOUNTED AIR CONDITIONER
044262

Featuring the first use of an Inverter compressor in an RV application, eliminate start-up current issues when running from generators or when current supply is restricted.

FEATURES:

- Inverter compressor
- Low start-up current (will run off 2000watt generators)
- Quiet operation
- Sleep mode reduces compressor and fan speed to minimise noise and vibration levels while sleeping
- Remote controlled oscillating vents and cold plasma air purification
- Suitable for either 360 x 360mm or 400 x 400mm roof openings

SPECIFICATIONS:

- Electrical rating: 230V
- Compressor Capacity: 3.7kW
- Cooling Capacity: 3.1kW, 6.5A
- Heating Capacity: 2.8kW, 5.2A
- Operating Temperature Range: -2 to 52°C
- Airflow: 649m3/h (maximum)
- External Dimensions: 750mm(w) x 280mm(h) x 1070(l)mm
- Internal Dimensions: 500mm(w) x 66mm(h) x 520mm(l)
- Roof Opening: 360x360mm or 400x400mm
- Roof Thickness: 30 - 60mm
- Weight: 45kg
- Fan Speeds: 3

AIR CONDITIONING SPARE PARTS

AIR COMMAND CORMORANT

039356 CORMORANT PLENUM T/S MID 2008

AIR COMMAND HERON 2.2

002460 HERON 2.2 CONDENSER FAN MOTOR
002471 HERON 2.2 CONTROL KNOBS WHITE
002473 HERON 2.2 SWITCH BOX ASS.
034302 HERON 2.2 THERMOSTAT
035127 HERON 2.2 PLASTIC INTAKE GRILL
002472 HERON 2.2/3 HEATER ELEMENT
002468 HERON 2.2/3 RETURN AIR FILTER

AIR COMMAND HERON 3.0

002472 HERON 2.2/3 HEATER ELEMENT
002468 HERON 2.2/3 RETURN AIR FILTER

AIR COMMAND IBIS

038447 IBIS MK2 CORM/SPAR REMOTE CONTROL
039469 IBIS ELECTRONIC CARD
042537 IBIS SATURN INTERFACE MK2
042098 IBIS CORMORANT DUST FILTER
043301 AIRCOMMAND IBIS 3 REMOTE CONTROL

AIR COMMAND SPARROW

041894 SPARROW CANOPY TOP COVER

AIR COMMAND WREN

002416 WREN 2000 AIR FILTER

DOMETIC

002501 DOMETIC A/C FILTER PAD
042066 DOMETIC GRILL AIR RETURN

DENSO

040953 DENSO AIR UNIT-INSTALL KIT 6M
040954 DENSO UB1 ACCESSORY DUCT COVER
040955 DENSO UB1 REMOTE CONTROL
040956 DENSO UB1 FILTER
040957 DENSO UB1 FUSE (ECU)
040958 DENSO UB1 DUCT ONLY 3M

OTHER

002523 H-FRAME T/S COLEMAN/E'LUX/WREN
040585 EUROPEAN AIR CON HATCH ADAPTER

VITRIFRIGO FRIDGES - INTERNAL COMPRESSOR



Exclusive to Camec, Vitrifrigo is leading worldwide company specialising in industrial refrigeration. Vitrifrigo utilises advanced research and development programs to provide high-quality design, functionality and performance of every product.



VITRI C60I FRIDGE 60 LITRE 12-24 VOLT WITH FITTING FRAME AND AIR LOCK
043584

Built in fridge/freezers suitable for RV and marine use complete with Air Lock.

FEATURES:

- Door is interchangeable

SPECIFICATIONS:

- 10.2L Freezer compartment
- Dimensions: 470mm(l) x 615mm(h) x 460mm(d)
- Weight: 15.8kg
- Current Consumption: 12V 2.8A



VITRI C85I FRIDGE 90 LITRE 12-24 VOLT WITH FITTING FRAME AND AIR LOCK
043583

Built in fridge/freezers suitable for RV and marine use complete with Air Lock.

FEATURES:

- Door is interchangeable

SPECIFICATIONS:

- 12.8L Freezer compartment
- Dimensions: 485mm(l) x 785mm(h) x 470mm(d)
- Weight: 16.1kg
- Current Consumption: 12V 2.8A



VITRI C115I FRIDGE FREEZER 118 LITRE 12-24 VOLT WITH FITTING FRAME AND AIR LOCK
043587

Built in fridge/freezers suitable for RV and marine use complete with Air Lock.

FEATURES:

- Door is interchangeable

SPECIFICATIONS:

- 17L Freezer compartment
- Dimensions: 525mm(l) x 765mm(h) x 550mm(d)
- Weight: 21.2kg
- Current Consumption: 12V 2.8A



VITRI DP2600 BLACK 2 DOOR FRIDGE/FREEZER 230 LITRE 12-24 VOLT BD-50 COMPRESSOR WITH FITTING FRAME AND AIR LOCK
043659

These 2-door refrigerators have huge capacity and feature large separate freezer compartments for long term storage of frozen foods. The DP2600i, has a flush mount surround for ease of installation and also has the Air Lock catch system as standard equipment. The cooling unit is mounted directly onto the refrigerator cabinet.

FEATURES:

- Reversible hinge
- Internal cooling unit
- LED light in freezer and fridge
- Super silent operation

SPECIFICATIONS:

- Overall Dimensions: 1355mm(h) x 630mm(w) x 597mm(d) (plus handle)
- Weight: 58kg
- Space Required for Installation: 1337mm(h) x 588mm(w) x 593mm(d)
- Capacity: 230 litres, (Fridge 170L and freezer 60L)
- Nominal Input: 54.5w
- Average Consumption: 42w



VITRI DP150I 2 DOOR FRIDGE 150 LITRE 12-24 VOLT AND BD-50 COMPRESSOR WITH FITTING FRAME AND SWING LOCK
002989

These 2-door refrigerators represent the pinnacle of excellence within the Vitrifrigo range. They have huge capacity and feature large separate freezer compartments for long term storage of frozen foods.

The DP150i model comes with a safe and practical door catch mechanism.

FEATURES:

- Internal compressor
- Large capacity fridge/freezer fitted with a safe and practical swing lock door

SPECIFICATIONS:

- Dimensions: 525mm(l) x 1095mm(h) x 580mm(d)
- 2 door (separate freezer)
- Capacity: 150 ltr
- Nominal Input: 54.5W
- Average Consumption: 28W
- Weight: 38.8 kg



VITRI C220DP DOUBLE DOOR 220L 12-24 VOLT FRIDGE FREEZER
044465 LEFT HINGE
044466 RIGHT HINGE

Sea white range fridge freezer with double door for larger refrigerated spaces..

FEATURES:

- Fridge/Freezer

SPECIFICATIONS:

- 42L freezer compartment
- Dimensions: 540mm(l) x 1455mm(h) x 570mm(d)
- Weight: 42.5kg
- Power Voltage: 12/24V



VITRI C220MP SINGLE DOOR 235L 12-24 VOLT FRIDGE FREEZER
042338

Sea white range fridge freezer with single door for larger refrigerated spaces..

FEATURES:

- Fridge/Freezer

SPECIFICATIONS:

- 14L freezer compartment
- Dimensions: 540mm(l) x 1400mm(h) x 530mm(d)
- Weight: 44kg
- Power Voltage: 12/24V



VITRI C47L FRONT LOAD FRIDGE
039898

The compressor mounted on the back has option mounting positions on the left or right hand side of the cabinet. The unit has black interchangeable door with locking catch. Supplied with a single shelf and slide out drawer.

SPECIFICATIONS:

- Capacity 47 Litres
- Dimensions: 430mm(l) x 392mm(h) x 638mm(d)
- Weight: 19kg
- Power Voltage: 12/24V
- Nominal Consumption: 31W



VITRI C75L FRIDGE FREEZER 75 LITRE
12-24 VOLT AND EXTERNAL COMPRESSOR WITH
FITTING FRAME AND AIR LOCK
043562

Built in fridge/freezer with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation. Length of connection pipe is approx. 1.6m.

FEATURES:

- Fridge/Freezer

SPECIFICATIONS:

- 10.2L freezer compartment
- Dimensions: 467mm(l) x 470mm(h) x 467mm(d)
- Weight: 21.2kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A



VITRI C110BT 108L 12-24V FREEZER WITH
EXTERNAL COMPRESSOR, FITTING FRAME AND
AIRLOCK
043908

FEATURES:

- Airlock locking system
- Positive door closure, to prevent unwanted openings
- Fast reversible opening: thanks to its smart design, it's now extremely quick and easy to operate
- Integrated "vent position" system, to keep the fridge door ajar, preventing the formation of unpleasant odours and mould when not in use.

SPECIFICATIONS:

- Capacity: 108L
- Dimensions: 525mm(l) x 767mm(h) x 565mm(w)
- Power Voltage: 12/24V
- Compartments: 3
- Weight: 34kg
- Nominal Consumption: 52W



VITRI C130L FRIDGE 133 LITRE 12-24 VOLT AND
EXTERNAL COMPRESSOR WITH FITTING FRAME
AND AIR LOCK

043585 C130L FR/FRZ FITTING FRAME AIR LOCK
043984 C130P FRIDGE ONLY AIR LOCK

Built in fridge with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation.

FEATURES:

- Adjustable thermostat control
- Remote compressor arrangement boosting maximum capacity
- Connection pipes are approximately 1.5m long
- Features a full width freezer compartment in lieu of the standard icebox

SPECIFICATIONS:

- Weight: 27.4kg
- Compressor: 170mm(h) x 270mm(w) x 155mm(d)
- Power Voltage: 12/24
- Nominal Input: 38.5w
- Current Consumption: 12V: 3.78A



VITRI SLIMTOWER 140L STAINLESS STEEL 12/24V
FRIDGE FREEZER WITH AIR LOCK
044457

Drawer and door fridge freezer.

FEATURES:

- Air Lock locking system
- No need for a fitting frame
- Silent/night mode for minimum noise operation
- Turbo mode for maximum performance
- Secop compressor
- 1.5m remote compressor

SPECIFICATIONS:

- 140L total capacity
- 16L freezer compartment
- Dimensions: 417mm(l) x 1513mm(h) x 442mm(d)
- Weight: 42kg
- Power Voltage: 12/24V
- Nominal Input: 47W



VITRIFRIGO FRIDGES - INTERNAL COMPRESSOR STAINLESS STEEL



VITRI C62IX STAINLESS STEEL 12/24V 62L FRIDGE FREEZER WITH STEELOCK
044008

Built in fridge/freezers suitable for RV and marine use complete with Steelock.

FEATURES:

- Steelock top locking system
- Total built-in mounting flange
- LED lighting

SPECIFICATIONS:

- 4.5L freezer compartment
- Dimensions: 513mm(L) x 535mm(h) x 550mm(d)
- Weight: 20kg
- Power Voltage: 12/24V
- Nominal Consumption: 40W



VITRI C115IX STAINLESS STEEL 12/24V 115L FRIDGE FREEZER WITH STEELOCK
042426 LEFT HAND HINGE NO FREEZER/CRISPER
042427 LEFT HAND HINGE NO FREEZER
042428 RIGHT HAND HINGE NO FREEZER

Built in fridge/freezers suitable for RV and marine use complete with Steelock.

FEATURES:

- Steelock top locking system
- Total built-in mounting flange
- LED lighting

SPECIFICATIONS:

- 17.1L Freezer compartment
- Dimensions: 588mm(L) x 770mm(h) x 553mm(d)
- Weight: 30kg
- Power Voltage: 12/24V
- Nominal Consumption: 45W



VITRI DP2600IX STAINLESS STEEL 2 DOOR FRIDGE/FREEZER 230 LITRE 12-24 VOLT BD-50 COMPRESSOR WITH FITTING FRAME AND STEELOCK
043983

These 2-door refrigerators have huge capacity and feature large separate freezer compartments for long term storage of frozen foods. The DP2600ix, has a flush mount surround for ease of installation and also has the Steelock catch system as standard equipment.

FEATURES:

- Reversible hinge
- Internal cooling unit
- LED light in freezer and fridge
- Super silent operation

SPECIFICATIONS:

- 60L freezer compartment
- Overall Dimensions: 1354mm(h) x 631mm(w) x 602mm(d)
- Weight: 58kg
- Nominal Consumption: 65W

VITRIFRIGO FRIDGES - EXTERNAL COMPRESSOR STAINLESS STEEL



VITRIFRIGO C42LX STAINLESS STEEL 42L 12/24V FRIDGE WITH STEELOCK
044193

This 42 litre stainless steel refrigerator and freezer features Steelock locking system.

FEATURES:

- Steelock locking system
- Total built in mounting flange
- LED lighting

SPECIFICATIONS:

- 42 litre with 3.6l freezer
- Dimensions: 443mm(L) x 535mm(h) x 379mm(d)
- Weight: 17kg
- Nominal consumption: 31W



VITRI C75 STAINLESS STEEL FRIDGE 75 LITRE 12-24 VOLT AND EXTERNAL COMPRESSOR WITH STEELOCK
043611 C75LX FRIDGE ONLY FLUSH MOUNT
044192 C75LX FRIDGE/FRZR WITH HOLDING PLATE

Built in fridge with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation. Length of connection pipe is approx. 1.6m.

FEATURES:

- Fridge

SPECIFICATIONS:

- Dimensions: 533mm(L) x 625mm(h) x 452mm(d)
- Weight: 23kg
- Power Voltage: 12/24V
- Nominal Consumption: 40W



VITRI C130LX FRIDGE 130 LITRE 12-24 VOLT AND EXTERNAL COMPRESSOR WITH STEELOCK
043992

Built in fridge with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation.

FEATURES:

- Steelock locking system
- Built in mounting flange
- LED light
- Connection pipes are approximately 1.5m long
- Features a full width freezer compartment in lieu of the standard icebox

SPECIFICATIONS:

- Freezer volume: 17.1l
- Weight: 31kg
- Dimensions: 588mm(L) x 770mm(h) x 555mm(d)
- Power Voltage: 12/24
- Nominal consumption: 45W



VITRI C180RFX 180 LITRE 12-24 VOLT STAINLESS STEEL FRIDGE ONLY AND EXTERNAL COMPRESSOR WITH STEELOCK
044567

Built in fridge with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation.

FEATURES:

- Steelock locking system
- Built in mounting flange
- LED light
- Connection pipes are approximately 1.5m long

SPECIFICATIONS:

- Weight: 40kg
- Dimensions: 666mm(L) x 866mm(h) x 559mm(d)
- Power Voltage: 12/24
- Nominal consumption: 45W



VITRI DW360BTX FRIDGE/DRAWER FREEZER X 2 301L STAINLESS STEEL
039501

Flagship Vitrifrigo model featuring a door fridge and twin drawer freezers with excellent access.

FEATURES:

- Integrally mounted twin compressor system ensures more consistent freezer temperatures
- Electronic LED thermostat

SPECIFICATIONS:

- Dimensions: 608mm(l) x 1690mm(h) x 540mm(d)
- Weight: 100kg
- Power Voltage: 12/24V and 110/240V
- Current Consumption: 12V 2.1A + 1.8A (2 compressors)
- 157L fridge/80L drawer freezer/64L drawer freezer
- Capacity: 301 litres



VITRI DW180.2 DRAWER FRIDGE 144L STAINLESS STEEL 12/24V

- 002992 DW180.2RF FRIDGE/FRIDGE
- 042861 DW180.2RF FRIDGE/FREEZER SLAM LOCK
- 002993 DW180.2DT FREEZER/FRIDGE
- 033871 DW180.2BT FREEZER/FREEZER
- 041541 DW180.2BT FREEZER/FREEZER SLAM LOCK
- 044469 DW180 FRIDGE/FREEZER 12/24/240V
- 044321 DW180.2BT FR/FR STEELOCK 12/24/240V
- 044696 DW180.DT FRIDGE 12/24/240V
- 044364 DW180.2RF FRIDGE/FRIDGE
- 044320 DW180.2RF FRIDGE/FRIDGE STEELOCK

Elegant design with a number of configuration options. Steelock option shown.

FEATURES:

- 80L top drawer/ 64L bottom drawer
- Integrally mounted compressor system

SPECIFICATIONS:

- Dimensions: 608mm(l) x 853mm(h) x 523mm(d)
- Weight: 55kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 144 litres



VITRI DW250BTX DRAWER FRIDGE/FREEZER 232L STAINLESS STEEL 12/24V

- 044687 STEELOCK
- 041866 SLAMLOCK

Features top fridge with bottom drawer freezer available in two handle/mounting configurations.

FEATURES:

- Integrally mounted twin compressor system ensures more consistent freezer temperatures
- Electronic LED thermostat

SPECIFICATIONS:

- Dimensions Steelock: 607mm(l) x 1314mm(h) x 540mm(d)
- Dimensions Slamlock: 618mm(l) x 1325mm(h) x 550mm(d)
- Weight: 65kg
- Power Voltage: 12/24V and 110/240V
- Current Consumption: 12V 2.8A + 3.0A (2 compressors)
- 157L fridge/ 75L drawer freezer/ 64L drawer freezer
- Capacity: 232 litres



VITRI DW100 DRAWER FRIDGE 95L STAINLESS STEEL 12/24V

- 039883 DW100RF DRAWER FRIDGE
- 042538 DW100BT DRAWER FREEZER STD PIN LOCK
- 041804 DW100BT DRAWER FREEZER SLAM LOCK
- 044003 DW100RF DRAWER FRIDGE WITH STEELOCK

Compact, easy access with many configuration options. Steelock option shown.

FEATURES:

- Integrally mounted compressor system
- Electronic LED thermostat

SPECIFICATIONS:

- Dimensions: 526mm(l) x 543mm(h) x 591mm(d)
- Weight: 27kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 95 litres



VITRI DW210 DRAWER FRIDGE 182L STAINLESS STEEL 12/24V

- 041492 DW210DT FREEZER/FRIDGE SLAMLOCK
- 039881 DW210RF FRIDGE/FRIDGE
- 039882 DW210DT.2 TOP FREEZER/FRIDGE SLAMLOCK
- 039880 DW210BT FREEZER/FREEZER
- 042398 DW210DTX FREEZER/ICEMAKER+FR 240V

Elegant design with a number of configuration options. Steelock option shown.

FEATURES:

- Integrally mounted twin compressor system ensures more consistent freezer temperatures
- Electronic LED thermostat
- Icemaker only available in 110V or 240V

SPECIFICATIONS:

- Dimensions: 681mm(l) x 865mm(h) x 552mm(d)
- Weight: 60kg
- Power Voltage: 12/24V (110 or 240V Icemaker version)
- Current Consumption: 12V 4.4A
- 78L top drawer/ 104L bottom drawer
- Capacity: 182 litres



VITRI DW70 DRAWER FRIDGE 75L STAINLESS STEEL 12/24V

- 002994 DW70BT FREEZER ONLY
- 034784 DW70RF FRIDGE ONLY STD PIN LOCK
- 041531 DW70BT IM FREEZER/ICEMAKER 240V
- 044187 DW70 FREEZER WITH STEELOCK
- 044182 DW70 FRIDGE ONLY WITH STEELOCK

Elegant design with a number of configuration options.

FEATURES:

- Integrally mounted compressor system
- Electronic LED thermostat
- Icemaker only available in 240V

SPECIFICATIONS:

- Dimensions: 608mm(l) x 449mm(h) x 520mm(d)
- Weight: 26kg
- Power Voltage: 12/24V (240V Icemaker version)
- Current Consumption: 12V 3.0A
- Capacity: 75 litres



VITRI DW35 STAINLESS STEEL 35L DRAWER FRIDGE 12/24V

- 043967

35 litre drawer fridge.

SPECIFICATIONS:

- Dimensions: 496mm(l) x 323mm(h) x 727mm(d)
- Weight: 24kg
- Power Voltage: 12/24V
- Capacity: 35 litres

DOMETIC FRIDGES



DOMETIC FRIDGE 3 WAY 90 LITRE RM2350
003187

Manual control model absorption refrigerator for 12/240Vs and gas. Single-curved door model.

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Magnetic door seal and travel latch which secures door during travel
- Automatic flame failure device shuts off gas if flame is extinguished
- Environmentally friendly - CFC and Freon free

SPECIFICATIONS:

- Weight: 29kg
- Dimensions: 550mm(L) x 766mm(h) x 565mm(d)
- Capacity: 90L



DOMETIC 3 WAY FRIDGE 120 LITRE MANUAL ENERGY SELECTOR RM2453
003189

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch secures door during travel

SPECIFICATIONS:

- Dimensions: 632mm(L) x 948mm(h) x 627mm(d)
- Weight: 41kg
- Capacity: 120L



DOMETIC 3 WAY FRIDGE 150 LITRE RM2553
003190

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch which secures doors during travel

SPECIFICATIONS:

- Dimensions: 632mm(L) x 1104mm(h) x 627mm(d)
- Weight: 46kg
- Capacity: 150L



DOMETIC FRIDGE 2 WAY 220 LITRE RGE410
003194

The Dometic RGE410 large capacity gas and electrical refrigerator/freezer has a total capacity of 220 litres including a separate frozen food compartment of 45 litres offering maximum storage volume.

FEATURES:

- 2 way silent operation - 240V and LP gas
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch secures doors during travel

SPECIFICATIONS:

- Dimensions: 1612mm(h) x 592mm(w) x 623mm(d)
- Weight: 73kg
- Total Gross Volume: 220 Ltr
- Freezer Volume: 45 Ltr
- Energy Consumption: @ amb temp +25°C 3.9kWh/24h
- Max Input: 240V 325w
- Max Input: Gas (g/h) 21
- Voltage: 240V
- LP Gas/240v
- Shelves: 4
- Total racks (inner door): 4



DOMETIC 3 WAY FRIDGE 184 LITRE RM4601
003193

FEATURES:

- 3 way silent operation - LP Gas, 12V, 240V
- Performance enhanced cooling units
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device
- Magnetic door seal and travel latch secures doors during travel

SPECIFICATIONS:

- Dimensions: 632mm(L) x 1427mm(h) x 668mm(d)
- Weight: 61.5kg
- Capacity: 184L



DOMETIC WAECO CRX-140 135 LITRE FRIDGE
044317

FEATURES:

- Custom built compressor
- Digital/LED interface
- Greater temperature control with LAC (Low Ambient Control)
- Drainage plug system for easy cleaning
- Better air-ventilation and durability of the hot side
- Ambient temperature driven Fan Speed to reduce noise
- Variable door mounts & hinges
- Door with double lock
- Installation frame (Standard or Flush Mount) accessory options

SPECIFICATIONS:

- Dimensions: 620mm(d) x 8142mm(h) x 525mm(w)
- Weight: 30kg
- Capacity: 135L (11L freezer)



ENGEL FRIDGE 40 LITRE SR48F
003199

Affordable, extremely compact built-in refrigerator that will provide more than adequate storage capacity when space is at a premium. Built-in 12V, 24V and 240V. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

FEATURES:

- Interchangeable for left/right opening
- No exterior skin - frame type door with replaceable door panel
- 12V to 240V automatically selects mains power when connected

SPECIFICATIONS:

- Dimensions: 419mm(l) x 544mm(h) x 500mm(d)
- Cut out dimensions: 510mm(h) 380mm(w) x 455mm(d)
- Capacity: 40 litre



ENGEL BUILT IN FRIDGE 40 LITRE SB47F
003200

Affordable, extremely compact built-in refrigerator that will provide more than adequate storage capacity when space is at a premium. Built-in 12/24v only. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

SPECIFICATIONS:

- Dimensions: 531mm(h) x 423mm(w) x 510mm(d)
- Weight: 15kg
- DC Power Consumption: 0.5-2.5 Amps Max
- Power: 12/24 Volts DC only
- Capacity: 40 litres



ENGEL BUILT IN FRIDGE 55 LITRE SR70F
003201

Compact built in fridge with an area for frozen goods, to suit most campervans or yachts. Maximization of storage capacity allows you to separate beverages and perishables easily. Auto switching between 12/24V DC and 240V AC. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

FEATURES:

- No exterior skin but with frame type door with replaceable door panel

SPECIFICATIONS:

- Dimensions: 419mm(l) x 544mm(h) x 500mm(d)
- Cut out dimensions: 517mm(h) x 467mm(w) x 547mm(d)
- Capacity: 55 litre



ENGEL FRIDGE FREE STANDING 80 LITRE ST90F
003204

Large capacity 80 litre free-standing fridge that incorporates a separate freezing compartment. Cleverly designed to fit into confined spaces in caravans and boats. Unique auto switching between 12/24V DC and 240V AC standard in most of Engel's uprights SR48F, SR70F, ST68E, SR90E. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

FEATURES:

- Variable from 0.5 to 2.5 A maximum

SPECIFICATIONS:

- Dimensions: 520mm(l) x 780mm(h) x 548mm(d)
- Cut out: 505mm(d)
- Voltage: 240V AC/12V DC/24V DC
- Capacity: 80 litre



FRIDGE ACCESSORIES



CAMEC FRIDGE BULLS EYE LEVEL
042670

Clear plastic level which can be used on any flat surface.



SOLAR FRIDGE FAN
000684

Solar powered exhaust fan increases the cooling efficiency of refrigerator by venting hot air from the coils.



SOLAR FRIDGE FAN - SOLAR PANEL
000685

This solar panel suits the Solar fridge fan (refer code 000684).



FRIDGEMATE 12V FRIDGE FAN
000688

Increases cooling efficiency by up to 40% on hot days. Attaches to bottom of refrigerator compartment and blows into the coils and toward the top vent.

FRIDGE SPARE PARTS

VITRIFRIGO SPARE PARTS

- 003040 AIR 10 ELECTRONIC THERMOSTAT
- 003009 BD35/50F 12-24V ELECT CONT UNIT (DANFOSS)
- 039968 BD35/50 MODULE ELECT DANFOSS AC/DC
- 041494 BD35/BD50 ELEC CONTROLER AND SPEED VARIATION KIT
- 003003 BD35F 12-24V COMPRESSOR
- 003014 BD35F RESISTOR BLUE (12-24V - 3500RPM)
- 003004 BD50 12-24V COMPRESSOR
- 043090 BRK32PX DOOR WITH PUSH AND TURN LOCK
- 003140 C110BT FRIDGE DOOR
- 003118 C110BT MERONI914WMAGNET MAGNETIC FREEZER DOOR CATCH
- 034422 C110BT S/S FREEZER DOOR
- 039989 C110BT S/S SHELF KIT KIT (1 PAIR)
- 003154 C115/130 USA BASE FRAME
- 003153 C115/130 USA FIT FRAME
- 043234 C115/C130 FREEZER DOOR PLASTIC INSULATED
- 041695 C115/DP2600/5150-05 DOOR METAL RETAINER
- 003166 C115I/130L EVAPORATOR "U" SHAPE CURRENT VERSION
- 034938 C130L DRAIN TRAY R11263AS
- 039928 C130L FR DOOR MOULDING BOTTOM FRIDGE DOOR
- 003139 C130L SS FRIDGE DOOR
- 003128 C130LX FITTING FRAME SS
- 003127 C130LX FIX FRAME BASE SS
- 042880 C220MP HINGE WHITE
- 003061 C26/41 LID LOCK CLIP C1300 FREEZER DOOR CATCH
- 003043 C26/45/60, BRK-35 T-STAT K50L3105
- 003132 C30 AND DP150I DOOR
- 003168 C41 MOUNTING BRACKET
- 003041 C41 T-STAT E-TRONIC LED
- 003110 C45 DRAIN TRAY HOLDER
- 003111 C45 NAUTIC LOCK PLATE
- 003099 C45 PLASTIC FREEZ LID
- 003114 C45L TOP DR SHELF
- 039898 C47 FRONT LOAD FRIDGE 47 LITRES V12/24
- 003105 C60/75 MOUNT FOR DOOR TOP FIXING TO CABINET
- 003086 C60/75 WIRE SHELF
- 039962 C60/C115 BOTTLE STOPPER
- 003125 C60/C75 FITTING FRAME
- 043528 C60/C75L FREEZER DOOR
- 003017 C60/C75L/C85I EVAPORATOR "U" SHAPE CURRENT PLASTIC FREEZER DOOR
- 043646 C62IX CONNECTOR PLUG
- 003162 C65, C41, C26 DIAL T-STAT EWPC901
- 043157 C75 THERMOSTAT
- 003159 C75L/C85 BOTTOM DR SHELF
- 003137 C85I FRIDGE DOOR PLUS KIT SHELF R501.435
- 038555 C85I TOP DOOR SHELF
- 003087 C85I/900 WIRE SHELF
- 039966 CL220V CONTACTS SPARE PARTS FOR ICEMAKER

- 003010 D31370 FINNED CONDENSOR
- 003156 DOOR UPPER HINGE BRACKET WITH TWO HOLES
- 003121 DP150 FITTING FRAME
- 003035 DP150 FRIDGE EVAPORATOR
- 043263 DP150 THERMOSTAT BLACK KNOB
- 036571 DP150I 14023 DOOR LOCK
- 003042 DP150I T-STAT K60-L2066
- 042169 DP2600 BL FREEZER DR FOR NEW MODEL FRIDGES
- 042168 DP2600 BL FRIDGE DR NEW MODEL FOR NEW MODEL FRIDGES
- 003082 DP2600 DOOR SHELVEING (TOP) ALSO SUITS DP150
- 003104 DP2600 DRAIN TRAY
- 003176 DP2600 FESTOON 24V 3W GLOBE
- 003129 DP2600 FLUSH FIT FRAME
- 003021 DP2600 FR EVAPORATOR
- 003143 DP2600 FREEZER DOOR
- 003141 DP2600 FRIDGE DOOR
- 043170 DP2600 GLASS SHELF
- 041129 DP2600 HINGE MANUFACT'D JAN14 TO JULY14
- 003130 DP2600 SS FITTING FRAME STAINLESS STEEL
- 003144 DP2600 SS FREEZER DOOR
- 003094 DP2600 SS HINGE MANUFACT'D UP TO DEC 2013
- 003079 DP2600 VEGETABLE TRAY
- 042884 DP2600I FLANGE BLACK NEW FOR MID 2014 ON HINGES
- 042167 DP2600I SS FRIDGE DR NEW FOR NEW MODEL FRIDGES
- 042881 DP2600I/IX HINGE KIT NEW UPPER AND LOWER
- 042883 DP2600IIX FLANGE S/S NEW FOR MID 2014 ON HINGES
- 041415 DP2600IIX SS FREEZER DOOR SUIT NEW MODEL
- 043189 DRAWER FRIDGE RIVET KIT 10 PIECE
- 039959 DRAWER FRIDGES R-COPPIA (GUIDE 45 X300) DRIVERS
- 040704 DRAWER RUNNERS 60KG WHITE HEAVY DUTY
- 043238 DRAWER STRIP LIGHT 4 PIN
- 043239 DRAWER STRIP LIGHT 8 PIN
- 043240 DRAWER STRIP LIGHT LENS
- 041396 DW180 / DW70 VENT
- 039813 DW180 BOTTLE STOPPER ANCHORAGE
- 033857 DW180 DRAWER HANDLE R14025
- 038400 DW180 EVAPORATOR PLATE FREEZER OR FRIDGE/FREEZER
- 038401 DW180 EVAPORATOR PLATE FRIDGE ONLY
- 041534 DW180 INSULATED BOTTOM DRAWER LINER
- 041105 DW180 INSULATED LOWER DOOR FRONT
- 039115 DW180 S/S DRAWER COVER
- 039956 DW180 S/S SURFACE FLANGE
- 038339 DW180 THERMOSTAT FRIDGE ONLY
- 039114 DW180 TOP DRAWER LINER
- 036658 DW180.2 DRAWER RUNNER
- 039958 DW180/210 SX R-FRIDGE CLOSURE

- 039960 DW180/DW70 DOOR SHELF
- 040907 DW180BT-DT DW70BT AND DW100BT R502.1018BT.S THERMOSTAT
- 042487 DW180DT DRIP TRAY
- 042489 DW180DT LOWER DRAWER SEAL
- 043448 DW180FX FIT FRAME OUTSIDE PIN LOCK
- 040910 DW180RF, DW210RF 502.1018.S THERMOSTAT
- 040308 DW210 BT/DT THERMOSTAT FRIDGE AND FREEZER
- 040908 DW210BT-DT R502.1023BT.S THERMOSTAT
- 040790 DW250 SS SURFACE FLANGE R128229.1
- 038338 DW70 FREEZER AND DW180 FRIDGE/FREEZER THERMOSTAT
- 038340 DW70 THERMOSTAT FRIDGE ONLY
- 040909 DW70RF, DW100RF R5021070.S THERMOSTAT

DOMETIC SPARE PARTS

- 043065 CR140 FRIDGE WINTER KIT
- 003351 FREEZE DOOR LH SPRING HOUSING
- 003352 FREEZER DOOR RH SPRING HOUSING
- 003357 FRIDGE RETAIN BAR DBL-394>711
- 003356 FRIDGE RETAIN BAR SGL-394>711
- 016567 FRIDGE VENT KIT 8 PIECE AS1625 + TP
- 038725 LOWER FRIDGE VENT KIT NEW STYLE
- 016568 TOP VENT INSERT
- 038887 UPPER VENT AND FRAME N/S LESS INSERT
- 040380 VENT FRAME AND GRILL REQUIRED FOR 3 WAY ABOVE 101L
- 016580 VENT KIT ALI FLUE AND T-PCE TYPE A

WAECO SPARE PARTS

- 003314 25-60L CCF/CF FIXING KIT UNIVERSAL
- 003302 CDF-35 CF-25 TO CF-60 CABLE RIGHT ANGLE
- 034992 CF RANGE SP-38-AU2000B4 240V CABLE
- 003303 CF18 CABLE 2M - 12/24V
- 003328 CF25 TO CF60 72W MOBITRONIC 12/240V AC ADAPTOR
- 003304 CF80-110 CABLE 1M 12/24V
- 003313 CR110 STANDARD MOUNT FRAME
- 039295 CR140 FLUSH MOUNT FRAME
- 039296 CR140 STANDARD FRAME
- 034436 CR50 FLUSH MOUNT FRAME
- 003311 CR65 FLUSH MOUNT FIXING KIT



SMEV STAINLESS STEEL 4 BURNER GAS-ELECTRIC GRILL AND OVEN
040600

400 Series. Compact oven, grill and burner with mirror door ideally suited to caravan and recreational vehicle use. Flush mounted with your bench top to provide additional bench space when not in use.

FEATURES:

- 4 burner HOB 3 gas/1 electric
- Grill tray and oven rack
- Glass lid
- 12V electric ignition to burners and grill
- Flame failure safety device to all burners
- Flush mounting
- Stainless steel finish

SPECIFICATIONS:

- Dimensions: 515mm(w) x 515mm(d) x 651mm(h)



SMEV 4 BURNER GRILL GAS WITH MIRROR DOOR AND SAFETY CUT OFF
040601

400 Series. Compact grill and burner with mirror door ideally suited to caravan and recreational vehicle use. Flush mounted with your bench top to provide additional bench space when not in use.

FEATURES:

- 400 Series
- 4 burner HOB 3 gas / 1 electric
- Grill
- Glass lid
- 12V electric ignition to burners and grill

SMEV SPARE PARTS

- 039808 SMEV 400 SERIES COOKER FRONT SIDE TRIM R/H BLK TRIM
- 039809 SMEV 400 SERIES COOKER FRONT SIDE TRIM L/H BLK TRIM
- 002561 SMEV 400 SERIES GLASS LID
- 036652 MEV 400 SERIES ELEC ELEMENT K1940003
- 035098 SMEV 400 SERIES LH LID END
- 035099 SMEV 400 SERIES RH LID END
- 036653 SMEV 400 SERIES T/STAT CONTROL KCB0400220E00



SMEV 2 BURNER/HOTPLATE STAINLESS STEEL DROP-IN WITH GLASS LID
040321

8000 Series stainless steel with glass fold-down lid and compact design. This model features flame failure protection on both burners, therefore if the flame blows out, the gas will stop flowing to that burner.

Each burner also has Piezo ignition which is operated at the push of a button.

FEATURES:

- The fold down glass lid gives added bench space when the stove is not being used
- Complete with mounting clamps that pull up to hold the stove in place

SPECIFICATIONS:

- Dimensions: 480mm(w) x 90mm(h) x 370mm(d)
- Gas inlet is female 1/4" BSP
- Nominal Gas Consumption: 15.6 Mj/h



DOMETIC CRAMER COOK TOP
040264 2 BURNER COOK TOP

The Dometic Cramer hob features an integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls and a low profile rubber seal. If there are no pots on the hob, you can close the glass lid to gain additional work space - and protect the hob at the same time.

FEATURES:

- Safety ignition system
- Detachable pan supports
- Stainless steel burner caps

- 002637 SMEV 400/7000 SERIES OVEN WIRE SHELF
- 040079 SMEV 2014-002 LH S/S TRIM SQUARE FRONT
- 040078 SMEV 2014-002 RH S/S TRIM SQUARE FRONT
- 039093 SMEV 7000 GRILL THERMOSTAT
- 042841 SMEV 7000 SERIES BURNER TOP AND BOTTOM D45
- 002855 SMEV 2BNR DROP IN GLASS LID
- 002861 SMEV 2/3BNR HOLD DOWN CATCH BLK
- 002863 SMEV 2/3BNR PLASTIC SCREW COV
- 002856 SMEV 3BNR DROP IN GLASS LID



SMEV 3 BURNER DROP-IN HOTPLATE AND GLASS LID
040393

The 3 burner version of the Smev 8000 Series cookers complements the matching stainless steel sink and oven.

FEATURES:

- Space saving design
- Practical glass lid sits flush
- Hot plate incorporates 12V electric ignition and flame failure safety device to all burners

SPECIFICATIONS:

- Dimensions: 560mm(l) x 440mm(d) x 90mm(h)



SMEV 3 BURNER/HOTPLATE AND RIGHT HAND SINK WITH GLASS LIDS (NO TAP)
040853

Space saving stainless steel design with folding glass lids.

FEATURES:

- Stainless steel construction
- Flame failure safety device to all burners
- Modern, space saving design
- Separate opening glass lids to maximise bench space
- Includes mounting brackets

SPECIFICATIONS:

- Dimensions: 970mm(l) x 150mm(d) x 430mm(w)

- 042539 SMEV 3BNR ENAMELLED PAN SUPPORT SUIT
- 002623 SMEV STOVE TRIVET RUBB GROMMET RIF: 00181
- 002820 SMEV MARINE STOVE POT HOLDER (LEFT/RIGHT HAND)
- 042895 SMEV D45 BURNER TOP AND BOTTOM TOP BLACK ENAMELLED W/SCREWS
- 042896 SMEV D60 BURNER TOP AND BOTTOM TOP BLACK ENAMELLED W/SCREWS

STOVES AND COOKERS



ORIGO 1 BURNER SPIRIT STOVE FLUSH 2000
002873

FEATURES:

- Single burner stove for built in applications
- Available with or without tempered glass hinged cover

SPECIFICATIONS:

- Dimensions: 396mm(l) x 150mm(h) x 150mm(d)
- Cut-Out Dimensions: 345mm(w) x 325mm(d)



ORIGO METHO 2 BURNER RECESS STOVE OH4100
035713

FEATURES:

- 2 burner stove for built in applications

SPECIFICATIONS:

- Dimensions: 623mm(l) x 150mm(h) x 377mm(d)
- Cut-Out Dimensions: 575mm(w) x 325mm(d)



ORIGO METHO BENCHTOP STOVE (OH3000)
035712

Double burner free standing alcohol stove.

FEATURES:

- Free-standing benchtop stove
- Compact design - easy to stow away
- Ideal for indoor and outdoor use
- High cooking power on all burners
- Easy access to the alcohol fuel container



SMEV OVEN AND GRILL
040941

Featuring a grill that is an integral part of the oven space allowing the oven to be located below the cook top.

FEATURES:

- Polished stainless steel
- Weighs only 19kg
- Oven with grill
- 12V electronic ignition to oven and grill
- Oven light

SPECIFICATIONS:

- Recess Required: 500mm(l) x 460mm(h) x 480mm(d)



LIDO JUNIOR 2 BURNER AND GRILL
002721

No flame arrest. Suitable for camping and outdoor use.

FEATURES:

- 2 burner and grill
- Stainless body with painted base and hinged lid

SPECIFICATIONS:

- Dimensions: 500mm(l) x 170mm(h) x 280mm(d)



LIDO JUNIOR 2 BURNER AND GRILL SUITABLE FOR RVS OR BOATS
040326

Suitable for indoor use in caravans and motorhomes. Can also be used for camper trailer and outdoor kitchens.

FEATURES:

- 2 burner and grill
- Flame arrest on all burners
- Stainless steel body with painted base and hinged lid
- Hose and regulator required

SPECIFICATIONS:

- Dimensions: 500mm(l) x 170mm(h) x 280mm(d)
- Weight: 3.6kg



CRAMER COMBI 3 BURNER HOB WITH SINK
043452

FEATURES:

- Safety ignition system
- Integrated heat-resistant safety glass lid
- Detachable pan supports - easy to clean
- Stainless steel burner caps

SPECIFICATIONS:

- Dimensions: 840mm(l) x 440mm(w) x 130mm(d)
- Tap not included

