


CHASSIS

| | |
|--------------------------------|-----|
| Mudguards and wheels | 126 |
| Hub and drum kits | 127 |
| Brakes and axles | 128 |
| Jockey wheels | 129 |
| Caravan movers | 131 |
| Couplings | 133 |
| Vehicle steps | 136 |





MUDGUARDS AND WHEELS



WHEEL ARCH

- 006543 SINGLE GALVANISED 30"
- 006544 TANDEM GALVANISED



WHEEL ARCH TANDEM - GALVANISED

- 006543 SINGLE GALVANISED 30"
- 006544 TANDEM GALVANISED



MUD GUARD - POLY PLASTIC

Strong with steps on both sides as well as on top. Complete with mud flaps, brackets not included.

- SMALL 10" WHITE 036283
- SMALL 10" SILVER 036284
- MEDIUM 13" WHITE 036285
- MEDIUM 13" SILVER 036286
- LARGE 14" WHITE 036287



WHEEL SPAT - SINGLE NEW STYLE MILLARD

- 036433
- White



WHEEL SPAT -PAIR PLASTIC - LH/RH SUIT

- VISCOUNT SINGLE WHEEL
- 036432
- White



WHEEL SPAT - SINGLE PLASTIC WHITE

- 006642
- White



KLAMP IT WHEEL LOCKS

- 000402 B KLAMP IT 13"-15" TYRE WIDTH 165MM-185MM
- 000403 C KLAMP IT 13"-17" TYRE WIDTH 195MM-205MM
- 000404 D KLAMP IT 15"-17" TYRE WIDTH 215MM-245MM
- 000405 E KLAMP IT 14"-16" (4WD) TYRE WIDTH 265MM-285MM



WHEEL LOCK STRETCHMASTER

000406

The fastest way to ensure your motor vehicle, boat trailer, caravan, camper or box trailer stays secure. Fits up to 290mm wide wheels. Hardened steel and weighs under 3kg.



STEEL ROAD WHEEL
036455



STEEL ROAD WHEEL, SUIT
HOLDEN HQ
036452



ALLOY WHEEL (VELOX)
HUB MOUNT WITH TYRE
036470



RUBBER TYRE
036480



SPARE WHEEL
MOUNT WELD ON
000511



SPARE WHEEL
MOUNT BOLT ON
000512



SPARE WHEEL
MOUNT JAYCO
BOLT ON 000515

WHEELS AND TYRES

- 043160 GALVANIZED 13" WHEEL WITH ALL TERRAIN TREAD FOR HT/FORD 165R13C TYRE
- 043161 13" WHITE POWDER COATED WHEEL TO SUIT FORD WITH 155/80 TYRE
- 036452 STEEL ROAD WHEEL, SUIT HOLDEN HQ 355MM BLACK
- 038357 STEEL ROAD WHEEL, SUIT HOLDEN HR 330MM BLACK
- 036455 STEEL ROAD WHEEL, SUIT HOLDEN HT14XIN SUNRAYSA BLACK
- 006615 STEEL ROAD WHEEL, SUIT FORD 14X6IN SUNRAYSA WHITE
- 036462 ALLOY WHEEL (VELOX) HOLDEN BEARING MOUNT WITH TYRE 200MM
- 036470 ALLOY WHEEL (VELOX) HUB MOUNT WITH TYRE 250MM
- 006608 DRESS RIM WHITE 14"

WHEELS AND TYRE SPARE PARTS

- 000511 SPARE WHEEL MOUNT WELD ON
- 000512 SPARE WHEEL MOUNT BOLT ON - STRAIGHT
- 000515 SPARE WHEEL MOUNT JAYCO - BOLT ON
- 036426 SPARE WHEEL COVER WHITE - 330MM
- 036428 SPARE WHEEL COVER BLACK - 330MM
- 006635 WHEEL STUD SUIT 7/16"x1&5/8" HOLDEN
- 006636 WHEEL STUD SUIT 1/2"UNFX1&5/8" FORD
- 036187 WHEEL STUD SHORT SPLINE, 1/2"IND - 50MM SPEC
- 036186 WHEEL STUD LONG SPLINE, 1/2"IND - 55MM SPEC
- 036188 WHEEL STUD LONG SPLINE, 9/16"IND - 55MM SPEC
- 006638 WHEEL NUT 600 - SUIT FORD 7/16"
- 006639 WHEEL NUT 600 - SUIT FORD 1/2"



NON BRAKED HUB 036088



GALVANISED HUB KIT 040629



HUB DRUM KIT 036128

NON BRAKED HUBS

- 036088 MINI C/W STUDS, NUTS AND HOLDEN LM BEARINGS
- 036101 SUIT LANDCRUISER 6 STUD C/W STUDS NUTS AND HOLDEN LM BEARINGS
- 038101 SUIT FORD F100 C/W PARALLEL BEARINGS
- 036096 SUIT FORD S/L
- 036102 SUIT HOLDEN GALVANISED
- 042727 SUIT FORD GALVANISED

Complete with studs, nuts, bearings and seals. All unbraked hub kits are manufactured from high grade ductile iron to give maximum achievable strength. For marine conditions, there are a range of hubs that are either zinc plated or galvanised for additional strength.

HUB KITS - GALVANISED

- 040629 HO HOLDEN RETAIL BOXED, C/W NO NUTS, MARINE SEAL, SLIMLINE BEARING



HQ HOLDEN 038751

BOXED HUB KITS - INCLUDES STUDS, NUTS, CUPS, CONES, CHINESE BEARINGS

- 038751 HO HOLDEN RETAIL BOXED C/W LM BEARINGS
- 042720 FORD 5 STUD RETAIL BOXED C/W STUDS NUTS STD SEAL
- 042717 HT HOLDEN STUDS S/L BEARINGS

HUB DRUM KITS - ELECTRICAL

- 036128 ELECTRICAL LANDCRUISER 250MM 5 STUD C/W STUDS, NUTS AND SLIMLINE BEARINGS
- 042712 BOXED ELECTRIC FORD 10IN RETAIL BOXED, C/W STUDS ONLY
- 042737 BOXED ELECTRIC LANDCRUISER 250MM 6 STUD RETAIL BOXED, C/W STUDS, NUTS JAP SLIMLINE BEARINGS
- 042738 BOXED ELECTRIC FORD 250MM RETAIL BOXED, C/W STUDS, NUTS JAP SLIMLINE BEARINGS
- 042714 BOXED ELECTRIC LANDCRUISER 250MM 6 STUD NO NUTS OR BEARINGS

BRAKES



BRAKE ASSEMBLY 006340



DISC BRAKE HUB 036166



BEARING KIT 006565

BRAKE PLATES AND SPARE PARTS

- 006340 BRAKE ASSY PLATE RIGHT HAND, MECHANICAL 9IN
- 006341 BRAKE ASSY PLATE LEFT HAND, MECHANICAL 9IN
- 036107 BRAKE PLATE HYDRAULIC 230MM LEFT HAND, NO PARK BRAKE
- 036108 BRAKE PLATE HYDRAULIC 230MM RIGHT HAND, NO PARK BRAKE
- 036111 BRAKE ASSY PLATE ELECTRICAL LEFT HAND, OFF ROAD
- 036112 BRAKE ASSY PLATE ELECTRICAL RIGHT HAND, OFF ROAD
- 036113 BRAKE ASSY PLATE 250X56 ELECTRICAL, TRAILTECH RIGHT HAND
- 036114 BRAKE ASSY PLATE 250X56 ELECTRICAL, TRAILTECH LEFT HAND
- 033582 BRAKE ASSY PLATE ELECTRICAL SUIT 12IN
- 006333 BRAKE ASSY PLATE RIGHT HAND WITH PARK BRAKE 250X56 (10X2)
- 006334 BRAKE ASSY PLATE LEFT HAND WITH PARK BRAKE 250X56 (10X2)
- 006395 ADAPTOR PLATE SUIT 40MM RND HOLE, FOR ELECT/MECH BACKING PLATE
- 006397 ADAPTOR PLATE SUIT 45MM MECHANICAL/ELECTRIC
- 006336 ADAPTOR PLATE MOUNT NUT ONLY 7/16" UNF

MECHANICAL DISC BRAKES

- 036166 MECHANICAL DISC BRAKE HUB HT HOLDEN AL-KO GALVANISED C/W HOLDEN BEARINGS
- 038754 MECHANICAL DISC BRAKE HUB HT HOLDEN BOXED GALVANISED C/W SLIMLINE BEARINGS
- 038755 MECHANICAL DISC BRAKE HUB FORD BOXED GALVANISED C/W SLIMLINE BEARINGS
- 036145 MECHANICAL DISC BRAKE CALIPER
- 038761 MECHANICAL DISC BRAKE CALIPER AL-KO BOX SET OF 2
- 036159 MECHANICAL DISC CALIPER RETAINING SPRING
- 036158 MECHANICAL DISC CALIPER BOLT
- 036163 MECHANICAL DISC CALIPER MOUNTING BUSH
- 036147 MECHANICAL DISC BRAKE ADAPTOR PLATE 40MM AL-KO VERSION

BEARING CONES, CUPS AND KITS

- 036172 BEARING CUP OUTER, STANDARD HOLDEN
- 036175 BEARING CONE OUTER, STANDARD FORD
- 036176 BEARING CUP OUTER, STANDARD FORD
- 036177 BEARING CONE INNER, STANDARD FORD
- 036178 BEARING CUP INNER, STANDARD FORD
- 036183 BEARING KIT SUIT HOLDEN, 4 PIECE CHINA
- 006553 BEARING KIT SUIT HOLDEN INNER 2 PIECE
- 006556 BEARING KIT SUIT FORD INNER 2 PIECE
- 006562 BEARING KIT COMPOSITE, BLISTER PACK KIT
- 006563 BEARING KIT HOLDEN, BLISTER PACK KIT
- 006565 BEARING KIT FORD, BLISTER PACK KIT
- 038325 BEARING KIT (2000KG)
- 006560 BEARING SET PARALLEL SUIT FORD, 2 X INNER BEARINGS AND CONES
- 036180 BEARING SUPER SEAL SUIT FORD, 2PIECE SLIMLINE
- 006555 BEARING SUIT FORD INNER 2 PIECE LM68149/10

BRAKES AND AXLES



10" OVAL, SUITS HAYES AND AL-KO
006384

BRAKE MAGNETS

- 006384 10" OVAL, SUITS HAYES AND AL-KO
- 034873 12" OVAL AL-KO
- 006388 LEFT HAND OFFROAD AL-KO
- 006389 RIGHT HAND OFFROAD AL-KO
- 006385 CLIP FOR KELSEY OVAL MAGNET
- 006387 BRAKE ARM RIGHT HAND OVAL MAGNET KELSEY



BRAKE CABLE THIMBLES



BEARING BUDDIES 006574



HYDRAULIC DISC BRAKE CALIPER
034170



BEARING BUDDY COVER 006575



HYDRAULIC MASTER CYLINDER
006346



RUBBER DUST CAP 036478

HYDRAULIC BRAKE SPARE PARTS

- 034170 HYDRAULIC DISC BRAKE CALIPER AL-KO DACROMET COATED
- 038764 HYDRAULIC CALIPER SLIDE PIN KIT
- 006346 HYDRAULIC MASTER CYLINDER 3/4"
- 006350 HYDRAULIC MASTER CYLINDER CAP ONLY SUIT 3/4IN
- 036153 HYD DISC BRAKE CALIPER TRIGG A200M
- 036162 HYD DISC BRAKE PAD TROJAN AL-KO 341103

BRAKE SPARE PARTS

- 036218 MECHANICAL PARKING MECHANISM AL-KO
- 006361 BRAKE CABLE ADJUSTER WITH PULLEY
- 006362 BRAKE CABLE PULLEY
- 006370 BRAKE CABLE KIT (8M+ADJ+2CLIPS+2PULLEYS)
- 006372 WIRE CABLE CLAMP ONLY 5MM GAL
- 038134 OIL SEAL 2 TONNE
- 006558 OIL SEAL HOLDEN DOUBLE LIP STUB AXLE (2.328" X 1.437" X 0.4")
- 006559 OIL SEAL SLIMLINE
- 036194 WIRE CABLE CLAMP ONLY 4MM
- 006375 CABLE SWAGE 2.5MM
- 006568 DUST CAP - METAL
- 036478 DUST CAP RUBBER SUIT VELOX
- 006569 DUST CAP METAL SUIT 1.5/2T AXLE, 2 1/2IN
- 006574 BEARING BUDDIES W COVER AL-KO STEEL RETAIL PACK
- 006575 BEARING BUDDIES COVER ONLY



BRAKE SHOES 040625

BRAKE SHOES

- 040625 10" EL PR/SE PAIR PART NO 339135BX
- 034871 12" PRIMARY AL-KO 339122
- 034872 12" SECONDARY AL-KO 339123
- 006390 10INX2AND1/4 PRIMARY
- 006391 10INX2AND1/4 SECONDARY
- 036135 230X45MM SECONDARY HYDRAULIC-SHORT
- 036143 YD WHEEL CYLINDER ONLY 319010



FLAT WASHERS

- 006550 WASHER 3/4"IDX1AND1/2"OD
- 040006 ZINC PLATED WASHER TO SUIT U BOLD 1/2"



STRAIGHT AXLE

This style of axle is usually used on domestic or boat trailers and anywhere the height of the trailer is not a major consideration.

40MM SQUARE 1000KG PER PAIR

- 036015 1397MM LM MACHINED PROFILE
- 036024 1650MM LM MACHINED PROFILE
- 036027 1727MM LM MACHINED PROFILE
- 036036 1956MM LM MACHINED PROFILE

45MM SQUARE 1150KG PER PAIR

- 036063 1702MM SLIMLINE MACHINED PROFILE
- 036064 1727MM SLIMLINE MACHINED PROFILE
- 036065 1778MM SLIMLINE MACHINED PROFILE
- 036066 1829MM SLIMLINE MACHINED PROFILE
- 036071 2108MM SLIMLINE MACHINED PROFILE
- 036072 2185MM SLIMLINE MACHINED PROFILE
- 036075 2286MM SLIMLINE MACHINED PROFILE
- 036076 2362MM SLIMLINE MACHINED PROFILE
- 036077 2440MM SLIMLINE MACHINED PROFILE



STUB AXLE

- 036078 39MM ROUND 200MM SHORT
- 036079 39MM ROUND 250MM LONG
- 036080 45MM SQUARE 200MM
- 036083 45MM ROUND 280MM LONG
- 036084 39MM SQUARE 200MM SHORT
- 036085 40MM SQUARE 250MM LONG
- 036086 45MM SQUARE 305MM



AXLE IRS 1450KG BARE AL-KO 214111

- U-BOLT GALVANISED 39MM 042592
- U-BOLT GALVANISED 40MM 042593
- U-BOLT GALVANISED 45MM 042594



SPARE WHEEL CARRIER
044652

Carry and secure your spare wheel.

FEATURES

- Suits 4, 5 & 6 stud wheels
- Suits drawbar sizes 50 - 100mm
- Locking facility secures wheel & prevents theft
- Galvanised finish
- Suits below stud patterns:
 - Commodore - 5 x 120mm
 - HQ - 5 x 120.65mm
 - HT - 5 x 107.95mm
 - Gemini/BMW - 4 x 100mm
 - Ford - 5 x 114.3mm
 - Landcruiser - 6 x 139.7mm
 - Landcruiser - 5 x 150mm
 - Toyota/Datsun - 4 x 114.3mm
 - Mini - 4 x 101.6mm
 - Subaru - 5 x 100mm

OFF ROAD JOCKEY WHEEL

044576 500KG RATED
044577 750KG RATED

The Extreme Off Road Series Jockey Wheels is probably the toughest, most advanced Jockey Wheel in Australia today. But not only is it tough, it's also versatile – with multiple height options, a highly maneuverable trailing yoke design and 5 different yoke locking positions.

FEATURES:

- Magnetic, removable, side-winding handle
- Easier raising & lowering of trailers/caravans – away from stone guards, toolboxes or jerry can holders
- Magnetic, removable handle ensures safe stowage and prevents damage in offroad situations
- Heavy duty body available in 500kg or 750kg rating
- Increases load carrying capacity and eliminates the likelihood of “bend” under weight
- 4 x adjustable height positions
- 250mm height adjustability at each of the 4 positions, whilst maintaining a central swivel point for extra strength
- Heavy duty swivel clamp
- 4 bolt pivot point ensures no more bowing under weight
- Suitable for 75mm, 100mm, 130mm and 150mm drawbars
- Comes with mounting hardware – no more welding onto drawbars
- Wheel pivots easily, even under heavy load or on soft ground
- Dual wheel with sealed bearings & offroad tread
- Increases offroad grip and spreads the load
- Variable yoke lock
- Rust resistant finish



TRAIL-A-MATE HYDRAULIC JOCKEY WHEEL AND JACK

A hydraulic jockey wheel that converts in to a jack when you need it. You simply swap the wheel for a solid base plate. The key features of the Trail-A-Mate are as follows:

- Capability – WLL 1,000kg / ATM 2,900kg
- Versatility – Easily converts from a jockey wheel to a jack
- Ease of Use – Being hydraulic it takes very little effort to operate
- Safety – Fully complies with the Australian mandatory safety standards (2693:2007)

It has many applications and uses such as caravanning, horse floats, trailers, food vans, motorhomes.

FEATURES:

- For stress free raising and lowering of caravans, boats and trailers
- Safety nonslip lugs built in
- No need to climb under the vehicle to jack it up
- Suitable for most jockey wheel brackets
- Both a jack and jockey wheel
- Trail-A-Mate – safe working load of 1000kg when base is fitted
- Trail-A-Mate II – safe working load of 1500kg when base is fitted

TRAIL-A-MATE



TRAIL-A-MATE MKII

- 000417 TRAIL-A-MATE JOCKEY WHEEL, HYDRAULIC, LIFTING CAPACITY 1000KG
- 040981 TRAIL-A-MATE MKII JACK, HYDRAULIC, LIFTING CAP 1500KG NO WHEEL (JACK ONLY)
- 000431 TRAIL-A-MATE SIDEWINDER JACK LIFTING CAPACITY 500KG
- 000429 TRAIL-A-MATE JACK HANDLE ONLY
- 000420 TRAIL-A-MATE LIFTING CLAMP
- 000418 TRAIL-A-MATE BASE PLATE
- 000421 TRAIL-A-MATE KIT INCL FORK WHEEL PIN
- 000427 TRAIL-A-MATE SERVICE KIT
- 000422 TRAIL-A-MATE JACK BRACKET ONLY
- 036666 TRAIL-A-MATE WHEEL ONLY
- 043244 TRAIL-A-MATE SERVICE KIT FOR MKII
- 042460 TRAIL-A-MATE CLAMP 60MM
- 043965 TRAIL-A-MATE JACK SCREW

JOCKEY WHEELS



JOCKEY WHEEL
036244 6" SMALL BRACKET
006410 8" LARGE SWIVEL PLATE

Features an attached swivel bracket which will lock in the vertical or horizontal position. The jockey wheel can be welded or attached over a 100mm x 50mm A-frame using a U-Bolt kit.



JOCKEY WHEEL - 8" (200MM)
042352 AL-KO STANDARD NO CLAMP 8" 200MM
AL-KO 006408 STANDARD WITH CLAMP 8" 200MM
038561 AL-KO STANDARD WITH SWIVEL PLATE 350MM X 410MM
038556 AL-KO STANDARD WITH CLAMP 350MM X 410MM
006415 AL-KO STANDARD WITH WELD ON CLAMP 8" 200MM
006416 AL-KO STANDARD WITH SMALL SWIVEL PLATE 8" 200MM
036248 MANUTECH HEAVY DUTY WITH LARGE SWIVEL CLAMP 8" 200MM

Jockey Wheels with swivel clamps, plates or brackets. Solid tyre.



CLAMP ONLY FOR CAMEC JOCKEY WHEEL
043250



POWER MOVER WITH SOLID WHEEL (AL-KO)
038543
000464 SPARE HANDLE

A most efficient caravan mover featuring original dual pawl ratchet system. This model can be mounted on either side of the drawbar, thereby allowing maximum manoeuvrability. It is fitted to the normal jockey wheel bracket and can be wound up to a height of 840mm.

FEATURES:

- Ratchet jockey wheel
- Assists the manual movement of a caravan or trailer
- Includes handle and clamp
- 250mm diam complete with ratchet and clamp



EASYLIFT ADJ STAND NO CLAMP 27" 006445



AL-KO ADJUSTABLE STAND AND CLAMP 006450 006451

JOCKEY STANDS - VARIOUS

- 039992 ARK ADJUSTABLE STAND WITH SWIVEL BRACKET
- 006445 EASYLIFT ADJ STAND NO CLAMP 27"
- 006450 AL-KO ADJUSTABLE STAND AND CLAMP 14"
- 006451 AL-KO ADJUSTABLE STAND AND CLAMP 20"
- 042292 JOCKEY WHEEL TWIN WHEEL HEAVY DUTY WITH SOLID WHEELS, INC CLAMP AND LOAD CAPACITY 1000KG



JOCKEY WHEEL - 6" (150MM)
006404 AL-KO STANDARD NO CLAMP 6" 150MM
006406 AL-KO STANDARD WITH LARGE SWIVEL BRACKET 6" 150MM

Jockey wheels with swivel clamps, plates or brackets.

Solid wheel.

Features an attached swivel bracket which will lock in the vertical or horizontal position. The jockey wheel can be welded or attached over a 100mm x 50mm A-frame using a U-Bolt kit.



HEX CRANK HANDLE - CAMEC 043248 0043249



SWIVEL CLAMP AL-KO BOLT ON 036263



PULLING HANDLE AL-KO FOR MOVING THE VAN ABOUT 006424

JOCKEY WHEEL AND STAND SPARE PARTS

- 043248 HEX CRANK HANDLE - CAMEC 670MM LONG
- 043249 HEX CRANK HANDLE - CAMEC 780MM LONG
- 039993 CLAMP ARK BOLT ON
- 036263 SWIVEL CLAMP AL-KO BOLT ON
- 006424 PULLING HANDLE AL-KO FOR MOVING THE VAN ABOUT
- 000410 RECEIVER RUBBER
- 006429 RUBBER WHEEL AL-KO SUIT 8"X2"X1/2" SOLID STEEL WHEEL WITH RUBBER TYRE
- 006433 RUBBER TUBE ONLY SUIT 250X4
- 006437 RUBBER TUBE ONLY SUIT 410X350
- 006452 RUBBER WHEEL FOR BACK LEG 3IN
- 036266 RUBBER TYRE ONLY SUIT 4.10 X 3.50 X 4 PLY
- 036270 TYRE AND TUBE ARTWELL COMPLETE PNEUMATIC TYRE AND TUBE SUIT SIZE 410X350
- 006425 BOLT AND WASHER KIT SUIT AL-KO 1/2" JOCKEY WHEEL CLAMP
- 036247 UBOLT KIT SUIT AL-KO J/WHEEL 75W X 75L
- 036246 UBOLT KIT SUIT AL-KO JOCKEY WHEEL 100W X 75L
- 006428 RUBBER WHEEL 6X2X1/2" SOLID
- 006438 HANDLE ONLY FOR JOCKEY WHEEL AL-KO
- 006440 THRUST BEARING JOCKEY WHEEL 6X2"
- 036264 HANDLE ONLY JOCKEY WHEEL 2/LFT HAN6
- 039934 JOCKEY STAND ADJUSTABLE AS27 ALKO



CARAVAN MOVER ELITE® 2

043321

- Economical and effective solution for manoeuvring your caravan
- Aluminium rollers that are friendly to tyres
- Optimum compact design, reasonable ground clearance, suitable for almost any light duty single axle chassis
- Corrosion-protected by e-coating and powder coating
- Easy winding action to engage or disengage the roller.
- The powerful motor will not allow the RV to roll while being manoeuvred on a gradient (Do not use the system as a brake. Always disengage rollers when not in use)
- Caravan/trailer stops immediately and automatically if it is out of range of the remote control or there is malfunction
- Not submersible

| | |
|--|--|
| MODEL | ELITE® 2 EM303 |
| PART NUMBER | 043321 |
| OPERATIONAL VOLTAGE | 12V DC |
| AVERAGE CURRENT CONSUMPTION | 20 AMPS |
| MAXIMUM CURRENT CONSUMPTION | 100 AMPS |
| REMOTE CONTROL TRANSMITTING FREQUENCY | 868 MHZ |
| SPEED | 90MM / SEC. |
| WEIGHT | 37KG APPROX. |
| SAFE WORKING LOAD (SWL) | 1,800KG (2 MOTORS) – UP TO 1,500KG ON AN 18% GRADIENT 2,500KG (4 MOTORS) – UP TO 1,800KG ON AN 18% GRADIENT |
| MINIMUM WIDTH (CARAVAN/TRAILER) | 1800MM |
| MAXIMUM WIDTH (CARAVAN/TRAILER) | 2500MM |
| MAXIMUM TYRE WIDTH | 205MM |

CARAVAN MOVER ELITE® PRO 2

043322

- Accurate and durable gearing
- Aluminium rollers that are friendly to tyres
- Simply by pressing the button on remote control handset the rollers will properly engage or disengage on the tyres
- Manoeuvre your caravan effortlessly with soft stop and start
- The powerful motor will not allow the RV to roll while being manoeuvred on a gradient (Do not use the system as a brake. Always disengage rollers when not in use)
- Caravan/trailer stops immediately and automatically if it is out of range of the remote control or there is malfunction
- If you forget to disengage the rollers, an emergency function will wind them back if it is connected to a tow vehicle.
- Not submersible

| | |
|--|--|
| MODEL | ELITE® PRO 2 EM305 |
| PART NUMBER | 043322 |
| OPERATIONAL VOLTAGE | 12V DC |
| AVERAGE CURRENT CONSUMPTION | 30 AMPS |
| MAXIMUM CURRENT CONSUMPTION | 120 AMPS |
| REMOTE CONTROL TRANSMITTING FREQUENCY | 868 MHZ |
| SPEED | 110MM / SEC. |
| WEIGHT | 33KG APPROX. |
| SAFE WORKING LOAD (SWL) | 2,000KG (2 MOTORS) – UP TO 1,750KG ON AN 18% GRADIENT 3,000KG (4 MOTORS) – UP TO 2,350KG ON AN 18% GRADIENT |
| MINIMUM WIDTH (CARAVAN/TRAILER) | 1800MM |
| MAXIMUM WIDTH (CARAVAN/TRAILER) | 2500MM |
| MAXIMUM TYRE WIDTH | 205MM |

SPARE PARTS

| | | |
|---|---|---|
| 042626 ALUMINIUM ROLLER IN PAIR FOR CAMEC ELITE MOVER | 043498 MAINFRAME COVER ELITE | 043675 REMOTE HANDSET SERIES 2 FOR ELITE PRO |
| 042625 CONTROL UNIT FOR CAMEC ELITE MOVER | 043499 MAINFRAME COVER ELITE PRO | 043676 CONTROL BOX SERIES 2 ELECTRONICS CONTROL BOX FOR ELITE |
| 042630 MOTOR BRUSHES FOR CAMEC ELITE MOVER | 043497 MOVER MOUNTING PLATES SET OF 2 WITH BOLTS | 043677 CONTROL BOX SERIES 2 ELECTRONICS CONTROL BOX FOR ELITE PRO |
| 042624 REMOTE HANDSET FOR CAMEC ELITE MOVER | 043498 MAINFRAME COVER ELITE FOR ELITE | 043678 ENGAGING MOTOR FOR ELITE PRO |
| 042636 FUSE HOLDER AND FUSE FOR CAMEC ELITE AND ELITE PRO | 043499 MAINFRAME COVER FOR ELITE PRO | 043679 EMERGENCY KEY FOR ELITE AND ELITE PRO |
| 042635 ALUMINIUM ROLLER IN PAIR FOR CAMEC ELITE PRO MOVER | 043663 WALL HOLDER FOR REMOTE HANDSET FOR ELITE AND ELITE PRO | 043680 CONVOLUTED CABLE TRUNKING 4M |
| 042634 CONTROL UNIT FOR CAMEC ELITE PRO MOVER | 043664 COMPLETE MOTOR PART B FOR ELITE | 043681 ENGAGING GEARBOX FOR ELITE |
| 042637 MOTOR BRUSHES FOR CAMEC ELITE PRO MOVER | 043665 COMPLETE MOTOR PART B FOR ELITE PRO | 043682 ENGAGING GEARBOX COVER FOR ELITE |
| 042633 REMOTE HANDSET FOR CAMEC ELITE PRO MOVER | 043666 DRIVING MOTOR WITHOUT GEAR FOR ELITE PRO | 043683 MAIN SWITCH WITH KEY & WALL MOUNTING HOUSING FOR ELITE AND ELITE PRO |
| 042631 ENGAGEMENT TOOL FOR CAMEC ELITE MOVER | 043667 MOTOR CABLE SET 5M CABLE FOR ELITE AND ELITE PRO | 043684 MAIN SWITCH WITH RED KEY FOR ELITE AND ELITE PRO |
| 042628 ISOLATION KEY FOR CAMEC ELITE AND ELITE PRO | 043668 BATTERY CABLE SET FOR ELITE AND ELITE PRO | 043685 EMERGENCY SOCKET COVER FOR ELITE PRO |
| 042632 MOTOR RUBBER COVER IN PAIR | 043669 ENGAGING CONNECTION BAR 3 PARTS | 043686 MOUNTING BOLTS 8 FOR MOUNTING PLATES FOR ELITE AND ELITE PRO |
| 042629 ROLLER DISTANCE SPACER IN PAIR 20X20MM | 043670 ENGAGING CONNECTOR COMPLETE | 043687 A MOTOR BRACKET FOR ELITE |
| 043497 MOVER MOUNTING PLATES WITH BOLTS PK2 | 043671 FUSE 80A FOR ELITE AND ELITE PRO | 043688 B MOTOR BRACKET FOR ELITE |
| | 043672 COVER A DECORATION FOR ELITE | 043689 A MOTOR BRACKET FOR ELITE PRO |
| | 043673 COVER B DECORATION FOR ELITE | 043690 B MOTOR BRACKET FOR ELITE PRO |
| | 043674 REMOTE HANDSET SERIES 2 FOR ELITE | |

CARAVAN MOVERS

**TRAILER VALET MOVER**

042965

Manual mover designed for trailers up to 2,200kg with a ball weight of up to 220kg. Perfect for small caravans, campers and car trailers. Very simple to use.

FEATURES:

- Attaches to your A-frame and can replace your jockey wheel
- Patented drive system with high and low drive gears (select high or low gear depending on your terrain)
- Brake is incorporated in the system for safety
- Unit can be rotated out of the way on the mount for travel or removed completely
- Spare mounting plates are available to enable you to move the Trailer Valet from one vehicle to another easily

SPECIFICATIONS:

- Weight: 20.5kg
- High quality steel with powder-coated hammer finish
- 2 x 9" pneumatic tyres

TRAILER VALET XL MOVER

043705

The Trailer Valet XL is the toughest and most compact trailer dolly. Sharing the same great features as its little brother, but with a few upgrades. The XL moves most trailers up to 4,500kg just using a crank handle or an 18V drill. It features dual, 9" tyres that can handle a ball weight of up to 400kg and positraction technology for making tight turns. The automatic brake engages when the handle is released for superior safety, making it ideal for large caravans, boats, construction and farm equipment, horse floats and flat bed trailers.

FEATURES:

- Handles most trailers weighing up to 4,500kg (450kg tongue weight)
- Patented ball attachment mechanism for quick attachment and greater maneuverability
- High strength pneumatic tyres that can withstand 225kg of pressure per tyre
- A greater gear reduction to make cranking even easier
- High quality steel with powdercoat hammer finish
- Brass bearings
- Drill attachment that enables the user to attach most 18V cordless drills
- Automatic safety brake
- One year manufacturer's warranty
- Positraction for maximum traction and ease of handling

SPECIFICATIONS

- Tow ball coupling ball size: 50mm
- Weight: 23.5kg

**TRAILER VALET BRAKE CAP HANDLE**

042969

**TRAILER VALET DRILL ATTACHMENT**

043706

**TRAILER VALET TYRE AND TUBE 2X9"**

042967

**TRAILER VALET CRANK HANDLE**

042968



D035 COUPLING V3-R
044634

The V3-R version of the D035 is without a handbrake and ideal for caravans with a pre-existing handbrake mounted elsewhere on the A-frame.

SPECIFICATIONS:

- Articulation: 360 degrees axial, minimum 70 degrees other axes
- Locking: Fully ADR 62/02 compliant including automatic secondary lock
- Finish: Supa Alloy 5
- Bolt pattern: 4 bolts at 185mm x 54mm
- Rating: 3.5 Tonne
- Action: Drop-On
- Maintenance: Fully Greasable

D035 COUPLING SPARE PARTS

- 044636 D035 BI-LOCK PIN ASSY
- 044637 D035 FORGED TOW PIN 7/8
- 044638 COVER D035 TOWING PIN V3
- 044639 C-SPANNER UNIVERSAL
- 044640 D035 TOW PIN WF KIT
- 044641 DUST CAP C/W LANYARD
- 044642 DUST CAP C/W LANYARD
- 044643 WDH HR 550/750
- 044644 STANDARD WDH ADAPTOR KIT



**D035 COUPLING V3-I WITH INTEGRATED
HANDBRAKE**
044635

Forged steel, high quality polyurethane, laser cut stainless steel and precision casting has been brought together to increase the couplings strength yet also reduce weight. This updated D035 is over 50% stronger than the outgoing model. These advanced processes have also allowed the elimination of hitch adaptors allowing you to get on the road with less fuss.

SPECIFICATIONS:

- Articulation: 360 degrees axial, minimum 70 degrees other axes.
- Locking: Fully ADR 62/02 compliant including automatic secondary lock
- Finish: Supa Alloy 5
- Bolt pattern: 4 bolts at 185mm x 54mm
- Rating: 3.5 Tonne
- Action: Drop-On
- Maintenance: Fully Greasable



COUPLING FIXED PRESSED METAL AL-KO AK7
006276

Zinc plated, 760kg max load. Lock and key available.



COUPLING ELECTRICAL AL-KO ZINC PLATED
006280

Suits electric brakes. Quick release, 4 hole bolt on, 3500kg max load.



U BRACKET AND SPRING 006295



MECHANICAL COUPLING 006300



OVERRIDE COUPLING 006281



4WD COUPLING 040837

TREG POLYBLOCK COUPLING AND ACCESSORIES

- 006300 COUPLING MECHANICAL OVERRIDE TREG POLYBLOCK BOLT ON, AX LOAD 3000KG, NO HAND BRAKE
- 006301 COUPLING MECHANICAL OVERRIDE TREG POLYBLOCK WELD ON, MAX LOAD 3000KG, NO HAND BRAKE (WELD ON WITH 3/4 PIN)
- 006295 COUPLING U BRACKET AND SPRING PIN TREG DETACHABLE
- 006297 3/4" POLY BLOCK TREG POLYBLOCK ONLY
- 042606 POLY BLOCK COUPLING TREG POLY BLOCK COUPLING ONLY, WELD ON, MAX LOAD 3000KG
- 042605 OVERRIDE COUPLING TREG POLYBLOCK COUPLING ONLY, CAST OLT ON, MAX LOAD 3000KG
- 042608 SPRING PIN TREG YELLOW ZINC PLATED
- 006293 COUPLING SPRING AND LYNCH PIN TREG SPRING AND LYNCH IN KIT TO SUIT TREG COUPLING

OVERRIDE COUPLINGS

- 006281 COUPLING HYDRAULIC OVERRIDE AL-KO WITH HANDBRAKE & 3/4" MASTER CYLINDER MAX LOAD 2000KG
- 006317 COUPLING HYDRAULIC BRACKET WITH MASTER CYLINDER
- 006285 COUPLING MECHANICAL OVERRIDE AL-KO ZINC PLATED, MAX LOAD 2 TONNE, NO HAND BRAKE

COUPLING MECHANICAL

- 006278 COUPLING QUICK RELEASE AL-KO ZINC PLATED, BOLT ON, 2 HOLE, 2000KG MAX LOAD, HEAD ADJUSTING SCREW
- 036199 COUPLING QUICK RELEASE AL-KO BOLT ON, 3 HOLE, 2270KG MAX LOAD, HEAD ADJUSTING SCREW
- 040837 COUPLING 4WD FIXED AL-KO UNBRAKED, BOLT ON, 4 HOLE, QUICK RELEASE, FULL ARTICULATION, OVERRIDE DESIGN, 2000KG MAX LOAD
- 006283 COUPLING QUICK RELEASE TRIGG UNBRAKED, BOLT ON, NO BRAKE ARM, 2000KG MAX LOAD
- 006302 COUPLING 4WD FIXED 3PCE TRIGG UNBRAKED, OFF ROAD, FULL 360DEGREE ROTATION, TOWBAR ADAPTOR, POLYBLOCK WITH BRASS BUSHES AND 10MM LOCKING PIN, GOOSENECK BOLT AVAILABLE

COUPLINGS

COUPLING SPARE PARTS

- 036216 DETACHABLE PIN ASSEMBLY TRIGG
- 006312 REVERSING LATCH TRIGG
- 006315 HANDBRAKE PLATE TRIGG SUIT TRIGG COUPLING
- 034823 POLY BLOCK TOWBAR ADAPTOR TRIGG
- 036221 COUPLING REVERSING CATCH AL-KO
- 006323 COUPLING TRIGGER AL-KO
- 006332 COUPLING TRIGGER SPRING AL-KO
- 006327 COUPLING ADJUSTABLE SCREW AND NUT KIT AL-KO
- 041490 COUPLING LOCK RING AL-KO SUIT AKS2000 OFFROAD COUPLING
- 006294 COUPLING LYNCH PIN CLIP TREG SIZE 6MM
- 006299 SPRING PIN WITH LOCK TREG KIT CONTAINS COUPLING PIN AND LOCK FOR TREG POLYBLOCK
- 039997 COUPLING MOUNT BOLTS SET OF 3 (1 1/2" X 1/2")
- 039998 COUPLING MOUNT BOLTS SET OF 4 (4" X 1/2")
- 042784 D-SHACKLE AND BRIM GAL 10MM RATED 1000KG
- 042785 D-SHACKLE AND BRIM GAL 11MM RATED 1500KG
- 042786 D-SHACKLE AND BRIM GAL 13MM RATED 2000KG
- 042783 D-SHACKLE AND BRIM GAL 8MM RATED 750KG
- 006723 D SHACKLE AND BRIM 10MM ZINC PLATED, UNRATED
- 006724 D SHACKLE AND BRIM 8MM UNRATED
- 006727 D SHACKLE AND BRIM 12MM UNRATED
- 036493 VIN PLATE TRAILER I.D. 1 PIECE, WA ONLY
- 006293 PIN COMPLETE T/S TREG COUPLING WITH SPIRNG AND LYNCH PIN
- 006322 COUPLING PARTS KIT ALKO - HANDLE, TRIGGER, SPRINGS, SPINDLE
- 006305 TRIGG SAFETY CATCH SPRING
- 006307 TRIGG SAFETY LOCKING PIN



TRIGG COUPLING 4WD 006302



QUICK RELEASE COUPLING 036199



REVERSING CATCH 036221



ANTI SWIVEL BASE PLATE 036220



PIN ASSEMBLY 036216

CAMPER LEGS



ADJUSTABLE FRONT LEG 006470



ADJUSTABLE DROP DOWN LEG 034280



CORNER STEADY PADS 006486

ADJUSTABLE CORNER STEADIES

- 006469 ADJUSTABLE LEG FRONT MANUTECH SUIT HEX HANDLE 500MM LENGTH
- 006470 ADJUSTABLE LEG FRONT MANUTECH SUIT SLOTTED HANDLE 500MM LENGTH
- 006471 ADJUSTABLE LEG FRONT MANUTECH SUIT HEX HANDLE 600MM LENGTH
- 006473 ADJUSTABLE LEG REAR MANUTECH SUIT SLOTTED HANDLE 500MM LENGTH
- 006457 ADJUSTABLE LEG FRONT DYMWOOD SUIT SLOTTED HANDLE 18" LENGTH
- 006476 ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 500MM LENGTH
- 006479 ADJUSTABLE LEG REAR AL-KO SUIT HEX HANDLE 500MM LENGTH
- 006477 ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 600MM LENGTH
- 006480 ADJUSTABLE LEG REAR AL-KO SUIT HEX HANDLE 600MM LENGTH
- 006478 ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 700MM LENGTH
- 006481 ADJUSTABLE LEG GALVANISED AL-KO SUIT HEX HANDLE 500MM TOP MOUNT TO SUIT JAYCO
- 006482 ADJUSTABLE LEG GALVANISED AL-KO SUIT HEX HANDLE 700MM TOP MOUNT TO SUIT JAYCO

Ensure the caravan or trailer is secure and even when stationary. Adjustable corner steadies are available in positive drive wind-down or drop-down models. Corner steadies are not designed as a jack and must not be used for this purpose.

DROP DOWN CORNER STEADIES

- 034280 ADJUSTABLE LEG QUICK RELEASE MANUTECH WELD ON WITH LARGE ALUM FOOT 400MM LENGTH 240MM LIFT
- 042816 ADJUSTABLE LEG QUICK RELEASE MANUTECH WELD ON WITH LARGE ALUM FOOT 620MM LENGTH 240MM LIFT
- 006488 ADJUSTABLE LEG DROP DOWN MANUTECH SUIT HEX HANDLE 415MM LENGTH
- 006489 ADJUSTABLE LEG DROP DOWN MANUTECH SUIT HEX HANDLE 455MM LENGTH
- 006490 ADJUSTABLE LEG DROP DOWN MANUTECH SUIT HEX HANDLE 515MM LENGTH
- 006483 ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 590MM LENGTH
- 006485 ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 740MM LENGTH
- 042662 ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 820MM LENGTH

Drop down corner steadies provide convenient and stable platforms when used on a caravan or trailer.

ADJUSTABLE LEGS AND DROP DOWN CORNER STEADIES SPARE PARTS

- 006486 DROP DOWN CORNER STEADY PADS AL-KO BIG FOOT SET 4 PROVIDES AN IDEAL FLAT LOAD BEARING SURFACE FOR SOFT GROUND
- 040233 DROP DOWN CORNER STEADY PLASTIC FOOT MANUTECH PLASTIC FOOT ONLY
- 040234 DROP DOWN CORNER STEADY ALUMINIUM FOOT MANUTECH ALUMINIUM FOOT ONLY
- 006500 1150MM HANDLE (HEX) AL-KO HEX DRIVE
- 006484 DROP DOWN CORNER STEADY RED HANDLE AL-KO, REPLACEMENT HANDLE ONLY
- 006493 ADJUSTABLE LEG HANDLE ARTWELL SLOTTED HANDLE, 565MM OVERALL SIZE
- 006494 ADJUSTABLE LEG HANDLE ARTWELL SLOTTED HANDLE, 720MM OVERALL SIZE
- 006498 JACK HANDLE DYMWOOD MILLARD OLD STYLE JACK HANDLE
- 042054 ADJUSTABLE LEG DROP DOWN PULL PIN ASSY AL-KO TO SUIT AL-KO LEG
- 006487 ADJUSTABLE LEG HANDLE SUITS MANUTECH QUICK RELEASE SWING DOWN LEG



TANDEM LEAF SPRING 036309



SLIPPER SPRING 040757



NYLON BUSH 006535

LEAF SPRING

036309 TANDEM 45 X 8 X 710 8 LEAF



7 LEAF SPRING 040754

LEAF SPRING - EYE TO EYE SHACKLE (CAPACITY LISTED FOR 2 SPRINGS)

036299 45X8X710 3 LEAF 850KG
036300 45X8X710 4 LEAF 1100KG
036301 45X8X710 5 LEAF 1300KG
036302 45X8X710 6 LEAF 1500KG
040754 45X8X840 7 LEAF 1600KG

SLIPPER SPRING (CAPACITY LISTED FOR 2 SPRINGS)

036328 45 X 6 610 7 LEAF 1350KG
040758 44 X 6 X 720 5 LEAF 900KG
040757 44 X 6 X 720 6 LEAF 1050KG
036333 DACROMET 3 LEAF 600KG
036334 DACROMET 4 LEAF 750KG
036335 DACROMET 5 LEAF 1000KG
036336 DACROMET 6 LEAF 1200KG
036337 DACROMET 7 LEAF 1350KG

SPRING KIT AND SPARE PARTS

006535 NYLON BUSH 1 3/4 X 9/16 X 3/4IN
036386 NYLON BUSH 60MM X 7/8 X 5/8IN
038810 SHACKLE BOLT AL-KO GREASEABLE, M16
038532 SHACKLE PLATE AL-KO BLACK, M16
036379 SHACKLE PLATE GALVANISED, 9/16" HOLES, 75MM CENTRE TO CENTRE
006526 SHACKLE PLATE 9/16" HOLES, 75MM CENTRE TO CENTRE
036378 SHACKLE PLATE GALVANISED, 1/2" HOLES, 65MM CENTRE TO CENTRE
006576 LUBRIMATIC MARINE GREASE 4546M TUB
006579 HIGH TEMP BEARING GREASE 5006M TUB



ROCKER ARM 036360



U BOLTS

LEAF SPRING - EYE TO EYE SHACKLE (CAPACITY LISTED FOR 2 SPRINGS)

036299 45X8X710 3 LEAF 850KG
036300 45X8X710 4 LEAF 1100KG
036301 45X8X710 5 LEAF 1300KG
036302 45X8X710 6 LEAF 1500KG
040754 45X8X840 7 LEAF 1600KG



WINDSOR SHOCK ABSORBER 006654



AL-KO SHOCK ABSORBER KIT 036423



SPRING TO SUIT WINDSOR 036827

SHOCK ABSORBERS

006654 WINDSOR SHOCK ABSORBER 4081-001
006655 SHOCK ABSORBER PLATE SUIT WINDSOR
036423 SHOCK ABSORBER KIT - AL-KO
036827 COIL SPRING SUIT WINDSOR SHOCK ABSORBER

SPRING KIT AND SPARE PARTS

036360 TANDEM FABRICATED ROCKER ARM WITH BUSHES, SUITS 45MM SPRING
041499 TANDEM ROCKER SPRING ROCKERS SUIT 60MM SHACKLE SPRING, 18MM PIN, 202MM CENTRE
036364 FRONT U HANGER WITH 12MM HOLE 45MM WIDE
036365 FRONT U HANGER WITH 14MM HOLE 45MM WIDE
038133 CENTRE ROCKER PIN AL-KO M18
036367 REAR HANGER BLOCK NO BUSH, 22MM I.D.
036368 REAR U HANGER SUIT SLIPPER SPRING
036375 SHACKLE BOLT 3AND1/2" X1/2" WHITE
036369 SHACKLE BOLT AND NUT 3 1/2"X9/16" GREASEABLE
036370 SHACKLE BOLT AND NUT 3 1/2"X5/8" GREASEABLE
036371 SHACKLE BOLT AND NUT 3 1/2"X9/16" NON-GREASE
036372 SHACKLE BOLT AND NUT 3 1/2"X5/8" NON-GREASE
036387 AXLE PAD SUIT FLAT AXLE
036380 FISH PLATE GALVANISED, MULTI FIT 8MM
006527 FISH PLATE MULTI FIT 8MM BLACK
036376 GREASE NIPPLE STRAIGHT
036374 NUT NYLOC UNF 5/8"
006530 NUT NYLOC UNF 1/2"
038809 NUT NYLOC M16 AL-KO
038135 NUT NYLOC M18 AL-KO
006531 NUT ZINC PLATE 1/2"
006655 SHOCK ABSORBER PLATE SUIT LATER STYLE WINDSOR

U-BOLTS AND KITS

036391 BLK SQ 115X40 1/2 WHITE SQUARE
036394 BLK SQ 140X40 1/2 WHITE SQUARE
036396 BLK SQ 165X45 1/2 WHITE SQUARE
006522 BLK SQ 125X45 1/2 WHITE SQUARE
006523 BLK SQ 140X45 1/2 WHITE SQUARE
006524 BLK SQ 150X50 1/2 WHITE SQUARE
036401 ZINC SQ 75X55 1/2 WHITE SQUARE
036402 ZINC SQ 75X100 1/2 WHITE SQUARE
036403 ZINC SQ 100X75 1/2 WHITE SQUARE
036404 ZINC SQ 100X40 1/2 WHITE SQUARE
036405 ZINC SQ 100X100 1/2 WHITE SQUARE
036407 ZINC SQ 130X56 1/2 WHITE SQUARE
036408 ZINC SQ 115X40 1/2 WHITE SQUARE
036410 ZINC SQ 125X45 1/2 WHITE SQUARE
036411 ZINC SQ 125X50 1/2 WHITE SQUARE
036412 ZINC SQ 140X40 1/2 WHITE SQUARE
036413 ZINC SQ 140X45 1/2 WHITE SQUARE
036414 ZINC SQ 150X40 1/2 WHITE SQUARE
036415 ZINC SQ 150X50 1/2 WHITE SQUARE
036416 ZINC SQ 165X45 1/2 WHITE SQUARE
036417 ZINC RND 100X40 1/2 WHITE ROUND
036418 ZINC RND 125X40 1/2 WHITE ROUND
036419 ZINC RND 125X45 1/2 WHITE ROUND
036420 ZINC RND 125X50 1/2 WHITE ROUND

VEHICLE STEPS

CARAVAN STEPS

Make entry and exit to your caravan or camper easy and safe with the Camec range of steps. Manual or electric, in differing widths that suit all vehicle requirements.



STEP SINGLE ELECTRIC 12V 560MM ALUMINIUM/STEEL

- 006508 SINGLE
- 006509 DOUBLE
- 043707 MOTOR ONLY (LEFT SIDE)

The Tecno Step is fantastic addition to your caravan or motorhome! These single steps have an Aluminium tread and the frame is all galvanised steel construction. They have a 12V motor that extends and stores the step - it is operated by a switch that is usually placed just inside the doorway.

NOTE: Wiring Harness with switch is not included but can be purchased separately

The mounting brackets can be bolted (bolts not included) or welded to the Chassis and are 554mm from outside to outside. See enlargements for clearer dimensions.

FEATURES:

- 560mm wide
- Operated by a switch
- Aluminium/steel construction



STEP, SILVER PAINTED, SINGLE TREAD 500MM X 165MM

006502

Single tread standard step.

SPECIFICATIONS:

- Side mounting frame 165mm deep
- Frame ends are 525mm apart (outside), each end frame is 295mm deep x 165mm high
- Silver painted
- 500mm wide

STEP DOUBLE TREAD PEDAL MOUNTING SILVER PAINTED

006504

A two stage step where the bottom steps folds over the middle step, the combined steps slide under the caravan. Must be welded to the chassis

SPECIFICATIONS:

- Outside width is 525mm and 235mm high when folded with a depth of 305 for the frame
- Lower frame as shown in the photo is 610mm wide
- Each tread is 490mm x 190mm
- Clearance when opened 400mm
- Silver paint finish
- Weight: 14.5kg



STEP SINGLE TREAD 455MM X 170MM - MOUNT 500MM X 275MM PAINTED

006501

Single low profile steel step. Used under caravan recessed steps to provide an in-between step.

Specifications:

- Steel 455mm wide
- 170mm mounting frame

STEP ALUMINIUM/STEEL MANUAL 560MM

006507

The Tecno Step has an aluminium tread and the frame is a fully galvanised steel construction.

FEATURES:

- 560mm wide manual step
- Aluminium/steel construction
- Spring loaded for easy operation

SPECIFICATIONS:

- Dimensions of step tread: 560mm x 210mm
- Weight: 5.5kg
- Clearance required: 170mm deep when closed
- Closed step is 50mm proud of mounting flange and open step is 300mm proud of mounted flange
- Open step tread is 190mm below mounting flange

SPARE PARTS

- 006510 ELECTRIC STEP MAIN SWITCH ONLY
- 006509 ELECTRIC STEP FOOT BOARD SUIT DOUBLE STEP 12V 560MM WIDE
- 040912 ELECTRIC STEP STANDARD HARNESS LOOM 1300MM LOOM SUIT SINGLE STEP
- 036780 ELECTRIC STEP SIDE MOULD GREY PLASTIC SUITS ELECTRIC STEPS
- 039820 STEP TENSION SPRINGS PAIR SUITS TECHNO STEPS
- 043707 MOTOR TO SUIT TECHNO STEPS LEFT SIDE