

TOWING

Towing accessories	140
Towing aids, weight distribution kits	143
Towing mirrors	147
Brake controllers	149





TOWING ACCESSORIES



TOWBALL - MACHINED
006252

Standard towball size with long shank to allow stabiliser bar or bike rack to be fitted.

SPECIFICATIONS:

- 50mm x 62mm x 7/8"
- 62mm shank
- Towing Capacity: 3500kg
- Chrome plated



TOWBALL HIGH RISE - MACHINED
006254

High rise towball size with 25mm shaft, long shank to allow stabiliser bar or bike rack to be fitted.

SPECIFICATIONS:

- 50mm x 62mm x 7/8"
- 62mm shank
- Towing Capacity: 3500kg
- Chrome plated



TOWBALL 3T - MACHINED
036443

SPECIFICATIONS:

- 50mm x 25mm high rise
- Towing capacity: 2000kg



TOWBALL - MACHINED
006250

Standard ball size, extra long shank for fitting stabiliser blocks and bike racks, etc.

SPECIFICATIONS:

- Towing Capacity: 2500kg
- Ball size: 50mm
- Shank Size 7/8" (diam) x 80mm(L)
- Chrome



TOWBALL - MACHINED
006255

Large ball size, extra long shank for fitting stabiliser blocks and bike racks etc.

SPECIFICATIONS:

- Towing Capacity: 2270kg.
- Ball size 51mm
- Shank Size: 7/8" (diam x 51mm(L)
- Chrome



BLACK PVC TOWBALL SOFT COVER
000849

Push on towball covers provide protection from grease.

SPECIFICATIONS:

- Suits 50mm and 1 7/8" towballs
- Sold individually
- Black



SHIN PROTECTOR ARK TP11
039991

Made from soft rubber, fits securely over towbar goose neck.

SPECIFICATIONS:

- Black



ALKO 50MM TOWBALL
036775

Designed for use with Alko stabiliser coupling.



PLASTIC TOWBALL COVER BLACK HARD
000848

Push on towball covers provide protection from grease.

SPECIFICATIONS:

- Suits 50mm and 1 7/8" towballs
- Sold individually
- Black



COUPLING LOCK TRAILER COP
000385

Quick release expanding towball coupling lock, fits all popular trailer couplings with a barrel lock for high security.

FEATURES:

- Easy to operate



TOWBALL SPANNER
006256

Used for towball nuts, snap-up bracket bolts, D shackles, towbar tongue bolts and adjustable ball mount bolts and nuts.



CHROMED PLASTIC TOWBALL COVER
000850

Push on towball covers provide protection from grease. Suits 50mm and 1 and 7/8" towballs.

SPECIFICATIONS:

- Chrome



DO NOT OVERTAKE TURNING VEHICLE STICKER
042870

If your tow rig is near 7m long, a sign like this should be displayed on the back of your vehicle.

SPECIFICATIONS:

- Dimensions: 300mm(l) x 125mm(h)



COUPLING LOCK WITH 2 KEYS
042847

Universal anti-theft coupling lock.

FEATURES:

- Guards against trailer tow-away theft
- Works with all common ball couplings
- Advanced locking mechanism resists picking and prying
- Resistant to rust and corrosion
- Easy to set-up

SPECIFICATIONS

- Includes 2 identical keys
- 1 year warranty



COUPLING LOCK AND PADLOCK - DUAL PLATED WITH PADLOCK DELUXE
000395

Secures trailer when attached or not attached to a vehicle.

FEATURES:

- Heavy duty 2 position locking system
- Includes padlock




COUPLEMATE BALL ATTACHMENT AID

- 001024 BALL ATTACHMENT AID
- 001025 REMOVABLE WING
- 001026 BASE PLATE
- 001027 PACKING WASHER

The Couplemate is an innovative self-aligning accessory designed to locate the trailer coupling directly over the ball without assistance, physical effort or guiding. It can also be used as a theft deterrent by securing the trailer to the vehicle.

FEATURES:

- Suits standard towball and torsion bar fittings
- Long shank towballs are recommended when used in conjunction with torsion bar fittings
- Wings can be locked in the security position as a theft deterrent whilst towing or when the vehicle and/or trailer are left unattended



Packing washer used to increase the height of the towball in relation to the wing



COUPLING LOCK - COUPLEMATE DUAL FOR CAR AND TRAILER
000392

FEATURES:

- Saves time and effort on every hook up
- Easy to install
- Dual lock for car and trailer
- Self aligns your trailer directly over your towball

SPECIFICATIONS

- Suitable for trailers under 3000kg only
- Maximum Weight Load: 2000kg

TOWING ACCESSORIES



PULL PIN HITCH LOCK PRIME 18-2058
036448

Keeps the tow hitch secure with a lockable pull pin.

FEATURES:

- Locking pins for Reese towbars - secures the hitch with a keyed locking pin
- Prime locking pull pin

SPECIFICATIONS:

- Chrome
- Comes with 2 keys



PULL PIN LOCK S TREG TALON
036449

Used to lock a 4WD Treg or Trigg coupling to a vehicle.

FEATURES:

- Includes dust cap
- Slip the lock pin into coupling and attach the cylinder onto the machined end, then, simply turn key
- For 4WD use



PULL PIN HITCH LOCK + TREG LOCK
036450

Used to lock a 4WD Treg or Trigg coupling to a vehicle.

FEATURES:

- Kit includes lock pin and pull pin lock
- Lock pin secures the coupling to the hitch
- Pull pin secures the hitch to the vehicle
- Keyed alike



ARK/HAYMAN REESE LOCKABLE PULL PIN
000913

Pull pin is straight for easier access in some towbars. Enables you to lock your towball mount onto the towbar preventing theft.

FEATURES:

- Includes spring clip for extra protection
- Towing capacity: 3500kg

SPECIFICATIONS:

- Chrome



HAYMAN REESE HITCH LOCKABLE PULL PIN
000914

Enables you to lock your trailer ball mount onto the towbar preventing theft.

FEATURES:

- Features a dust and weather proof cover to protect the lock



COUPLMATE HITCH PIN LOCK 65MM
000933

For use with a trailer lock to replace existing pin.

FEATURES:

- Suits all receiver types

SPECIFICATIONS:

- 65mm
- Weight: 3kg
- Chrome



COUPLMATE STAINLESS STEEL HITCH LOCK 85MM
000934

For use with a trailer lock to replace existing pin.

FEATURES:

- Suits all receiver types

SPECIFICATIONS:

- 85mm
- Weight: 3kg
- Stainless steel





CAMEC WEIGHT DISTRIBUTION KIT
041128

Restores natural balance to your tow vehicle when towing a trailer with a laden ball weight between 80kg and 135kg. The kit uses a four bar (4 x 19mm) system and the snap up brackets make raising and lowering the chain effortless. Triangular plates mean you can adjust and equalize each pair of bars together.

FEATURES:

- Includes snap-up bracket handle
- For use with any style towbar using a 50mm towball

KIT INCLUDES:

- Weight distribution head
- 4 spring bars with pins
- Snap up brackets for A-frame with safety pins
- Connecting chains with triangle brackets and D-shackles
- Lifting handle



HAYMAN REESE CLASSIC MEDIUM DUTY WEIGHT DISTRIBUTION

CODE	CLASSIC SERIES	SPRING BAR	MAX TOWING WEIGHT
040082	600LB	28"	135 - 275KG
040081	600LB	30"	135 - 275KG
040084	800LB	28"	275 - 365KG
040083	800LB	30"	275 - 365KG

Distributes the ball weight across both axles of the tow vehicle to restore the correct steering and suspension geometry, braking efficiency and headlight alignment.

FEATURES:

- Trunnion style 30" spring bar
- Head includes integrated friction sway tab
- Compatible with dual cam sway control (not included)
- Drop shank allows for 6 incremental height adjustments
- Hex cam adjustment washer allows for up to 6 head angle adjustments



HAYMAN REESE STANDARD MEDIUM DUTY WEIGHT DISTRIBUTION

Distributes the ball weight across both axles of the tow vehicle to restore the correct steering and suspension geometry, braking efficiency and headlight alignment.

FEATURES:

- Round/under slung 30" spring bar
- Head includes integrated friction sway tab
- Compatible with dual cam sway control (not included)
- Drop shank allows for 6 incremental height adjustments
- Hex cam adjustment washer allows for up to 6 head angle adjustments
- Suitable for A-frames up to 6"

CODE	SERIES:	SPRING BAR	MAX TOWING WEIGHT
040572	CLASSIC 600LB	30"	135-275KG
041822	PRO SERIES 600LB	30" ROUND	135-275KG
040468	CLASSIC 800LB	30"	275-365KG
041823	PRO SERIES 800LB	30" ROUND	275 - 365KG



HAYMAN REESE DROP SHANK

Hayman Reese have a range of drop shanks available. Suitable for 4WDs and other vehicles where the lowest/highest setting is not low or high enough.

040469	STANDARD
040470	30MM
040471	95MM
040472	160MM



HAYMAN REESE 1200LB SUPER HEAVY DUTY WEIGHT DISTRIBUTION HITCH 30" SPRING BARS
(712003)
040085

FEATURES:

- Head includes integrated friction sway tab
- Compatible with dual cam sway control (not included)
- Drop shank allows for 6 incremental height adjustments
- Manufactured for serious heavy duty towing, it has a fine tooth adjustment washer which allows for up to nine head angle adjustments

TOWING AIDS, WEIGHT DISTRIBUTION KITS


HAYMAN REESE DUAL CAM SWAY CONTROL (26002)
000832

The Hayman Reese Dual Cam High-Performance Sway Controller is the premier method of controlling sway, and the only product of its kind in the Australian market. Unlike other sway controllers, it works to control sway from the start rather than once it has begun. When towing in a straight line, the spring bars on either side of the trailer's A-frame are locked in position. This essentially creates a 'rigid' connection between tow vehicle and trailer and minimises the effects of induced sway caused by high crosswinds or passing vehicles. Usually the spring bars ride in a locked-in position, even on sharp curves. However, when cornering manoeuvres are required, the cams automatically slide out of their fixed position to permit full radius turns. When the manoeuvre is short and abrupt, the spring bars seek a straight-line towing angle that helps the tow vehicle retain control. The Dual Cam works to hold down the start of swaying activity while at the same time allowing free and easy vehicle and trailer interaction. It's installed on the trailer and therefore, doesn't require adjustment. The Dual Cam HP is fitted in conjunction with any Heavy Duty Hayman Reese Weight Distribution System that includes high performance spring bars with cams. It is ideal for any trailer with a ball weight in excess of 200kg.

- HAYMAN REESE INTERLOCK TOWBALL MOUNTS**
- 042922 166MM SHANK. MAXIMUM TOWING CAPACITY 2250KG
 - 042924 5 HOLE ADJUSTABLE. MAXIMUM TOWING CAPACITY 2250KG
 - 042925 TOWBALL ONLY 50MM CAPACITY 3500KG
 - 042926 FLAT SIDED TOWBALL ONLY 50MM CAPACITY 3500KG

Includes towball.


HAYMAN REESE STRAIGHT TOWBALL MOUNT (21196)
000886

Does not include towball.

SPECIFICATIONS:

- Maximum Towing Capacity: 2250kg
- Suits 50mm hitch receiver


HAYMAN REESE ADJUSTABLE TOWBALL MOUNT (21187)
000884

Adjustable holes allow for easier leveling of car and tow vehicle. Does not include towball.

SPECIFICATIONS:

- Maximum Towing Capacity: 1500kg
- Suits 50mm hitch receiver


HAYMAN REESE ADJUSTABLE TOWBALL MOUNT (70202)
042921

Includes towball.

SPECIFICATIONS:

- Maximum Towing Capacity: 3550kg


HAYMAN REESE TOWBALL MOUNT - STRAIGHT
000878 250MM 21176
000879 200MM 21177

SPECIFICATIONS:

- Maximum towing capacity: 2000kg
- Suits 50mm hitch receiver


PRO SERIES FRICTION SWAY CONTROL (PRO4000)
043016

Friction Sway Control uses friction to resist pivotal movement and thereby works against the effects of induced sway. It operates on the principle of "stiffening" the coupling between the tow vehicle and trailer. The degree of "stiffening" or friction is adjusted to suit various trailer weights and towing conditions. Its operation is simple and uncomplicated. It doesn't prevent the generation of sway; it simply works to resist the forces once they have started.

FEATURES:

- Installs and removes easily
- Removes with two spring locking pins
- Heavy construction for added reliability
- Friction brake keeps trailer and tow vehicle stable
- Quick attachment to trailer frame and ball mount
- Can be used on left and right side of trailer


HAYMAN REESE TOWBALL MOUNT 12" (21171)
035292

One wrench tightening. Fits most popular vehicles.


ALKO TOWBALL RETENTION PLATE
043317

Fits between the towbar tongue and the towball to prevent rotation of the ball.

SPECIFICATIONS:

- Hole size: 23mm
- Overall size: 100mm(l) x 60mm(w)



CAMEC BALL WEIGHT SCALE
043231

Measures up to 350kg.

FEATURES

- Simple to use for approximate ball weight
- Readings in kilograms and pounds
- Help to select your weight distribution kit and other accessories
- Know that your RV is packed and balanced appropriately before travel for better handling and performance



HAYMAN REESE U BOLT KIT (55455BL)
000908

Joins spring bar to spring bar chains.

SPECIFICATIONS:

- 3/8"
- Includes washer and nut



HAYMAN REESE 1/2" X 2" UNC BOLT SET (55060)
000910

SPECIFICATIONS:

- 1/2" x 2"



HAYMAN REESE SNAP-UP BRACKET ONLY (21120)
035311

For use with Hayman Reese hitch.

- Please note: These do not come with a bolt. The bolt is 1/2" x 2 1/2" UNC and are not grade specific.

FEATURES:

- To suit weight distribution hitch
- Bolt (not included) screws into clamp bracket to A-frame of caravan



HAYMAN REESE SNAP UP BRACKET HANDLE (55050)
000912

For use with 6637 lift bracket.



BOLT KIT FOR HAYMAN REESE (70011)
000925

Replacement bolt kit to suit Hayman Reese adjustable ball mount.

FEATURES:

- Includes bolts, nuts and washers



EQUALIZER 6" A-FRAME BRACKET KIT
000822

Galvanised equalizer bracket set for use if your A-frame is more than 100mm deep. Suits 6" (150mm) A-frames.

SPECIFICATIONS:

- Length: 150mm
- Weight: 2.33kg
- Pack of 2



HAYMAN REESE SAFETY PIN-SNAP-UP BRACKET (55180)
000911

Stops snap up bracket from disengaging. Suit Hayman Reese weight distribution hitch.

SPECIFICATIONS:

- Diameter of Pin: 4.7mm and outside
- Width: 30mm
- Weight: 20gms



FRICTION SWAY TOWBALL ADAPTOR FOR HAYMAN REESE FRICTION SWAY CONTROL
043273

(Refer code 000825).



EQUALISER A-FRAME BRACKET KIT
000820

Replacement equaliser brackets and B-plates (with bolts) for those that forget to remove the brackets. Pack of 2.



HAYMAN REESE HITCH PULL PIN

Standard hitch pin with spring cotter pin to secure.
000915

TOWING AIDS AND WEIGHT DISTRIBUTION KITS



D SHACKLES

- 006726 D SHACKLE AND BRIM 5MM
- 006724 D SHACKLE AND BRIM 8MM
- 006723 D SHACKLE AND BRIM 10MM
- 006727 D SHACKLE AND BRIM 12MM
- 042783 D SHACKLE AND BRIM GAL 8MM 750KG
- 042784 D SHACKLE AND BRIM GAL 10MM 1000KG
- 042785 D SHACKLE AND BRIM GAL 11MM 1500KG
- 042786 D SHACKLE AND BRIM GAL 13MM 2000KG



HAYMAN REESE TOWBALL MOUNT PINTLE HOOK 195MM LONG (21166)
035295

Pintle Hooks are the alternative to the standard 50mm towball. Pintle Hooks are particularly used in commercial applications.

SPECIFICATIONS:

- Pintle hook adaptor to suit heavy duty 50mm x 50mm hitch receiver towbars
- Trailer ball mount with 195mm lug to suit pintle hook
- Size: 210mm tube length, 83mm from pull pin hole to end of tube
- Maximum Load Weight: 3500kg



PINTLE HOOK ADAPTOR (21199)
000889

To suit heavy duty 50x50mm hitch receiver towbars. Maximum load: 3500kg.



BACKSAVER - CLASSIC RV TOWAID
000407

Adjustable mechanical aid to assist placing equalizer rods into chassis brackets - saves back muscles.



R CLIPS
000811 3MM FOR RV TOWAID
000812 4MM



REGO LABEL HOLDER PLASTIC RECTANGULAR
000565

Suitable for mounting next to a number plate on trailers and caravans.



CAST HEAD - 4-BAR EQUALIZER PAINTED BLACK
000818

Replacement pre-drilled cast triangular shaped equaliser head.

SPECIFICATIONS:

- Black



CAMEC SUCTION CUP TOWING MIRROR
040656

Quick and easy to fit and suitable for most vehicles.

FEATURES:

- Universal fittings
- Adjusts with vehicle's power mirror
- Sold individually



CAMEC CLIP ON TOWING MIRROR (FLAT GLASS)
040657

Quick and easy to fit and suitable for most vehicles.

FEATURES:

- Universal fitting
- Quick and easy to fit
- Aerodynamic and durable
- Supplied with straps for added security
- Sold individually

CAMEC HEAVY-DUTY DOOR MIRROR RATCHET STRAP TYPE
034194

Fits most vehicles, this heavy duty door mounted mirror fits firmly and offers excellent vision. The large mirror head is attached to an adjustable extension arm.

FEATURES:

- Ratchet T bar ensures firm fitting
- Quality rubber mounting pads
- Suitable for towing caravans, campers, horse floats, boats, etc
- Installation in minutes

SPECIFICATIONS:

- Extends from 330mm to 470mm
- Mirror Head: 229mm(w) x 155mm(h)
- Pack of 2



ENZO MAGNETIC TOWING MIRROR
000964 ENZO TOWING MIRROR
000965 SUPPORT SCREW KNOB

The impressive Enzo Magnetic Mirror gives you the most stable and vibration free view of your caravan and the road behind you.

The unit can be installed in seconds with no tools required, its practical and safe to use, fits almost all vehicles and the magnetic pads are protected by an anti-scratch material.

FEATURES:

- Large Magnetic Pad - Keeps the mirror extra secure and won't damage the paint work because of its anti scratch material.
- Fits independently - Keeps your existing mirror free.
- Easily Fitted - Fits in seconds with no tools required.
- Robust Design - Made from strong, quality non-corrosive materials.
- Large Mirror - Gives you the best possible view of the towed vehicle.
- Sold individually



CAMEC HEAVY-DUTY MIRROR ADJ SCREW/NUT
036577

Replacement adjustable screw and nut to suit Camec Heavy Duty Mirror (refer code 034194).



CAMEC HEAVY-DUTY MIRROR BRACKET AND STRAP
034827

Camec Heavy Duty Mirror bracket and strap to suit wide door (refer code 034194).



CAMEC HEAVY-DUTY MIRROR HEAD ONLY
000995

Replacement heavy duty mirror head to suit Camec Heavy Duty Mirror (refer code 034194).



CAMEC HEAVY-DUTY MIRROR RATCHET/SPRING
036576

Replacement ratchet and spring to suit Camec Heavy Duty Mirror (refer code 034194).



CAMEC HEAVY-DUTY MIRROR STANDARD STRAP/HOOK
036575

Replacement heavy duty mirror strap and hook to suit Camec Heavy Duty Mirror (refer code 034194).

TOWING MIRRORS


TOWING MIRROR 4X4 STRAP ON XL
 000956 MIRROR
 000999 REPLACEMENT STRAP ONLY
 001002 REPLACEMENT BUCKLE ONLY

This mirror suits extra large mirrors and has two pivoting arms.

FEATURES:

- Extension arm to fit extra large mirrors
- Fits most standard mirrors and includes articulated arms
- Flat clear lens

SPECIFICATIONS:

- Durable plastic
- UV stabilised to suit Australia's climate
- Sold individually


ORA TOWING MIRROR - CLIP ON
 000962

Suits 2WD and 4WD vehicles.

FEATURES:

- This mirror can be extended and swiveled horizontally and vertically
- Easily installed and removed
- Clear visibility when towing vans up to 2.4m wide
- Easily adjusted from inside car
- Pack of 2

COPPA ROSA/ORA TOWING MIRROR SPARE PARTS

- 000970 COPPA ROSA MIRROR SUPPORT ARM
- 000972 COPPA ROSA MIRROR KNOB ALSO SUITS NEW STYLE ORA
- 000973 COPPA ROSA MIRROR RUBBER DISC ALSO SUITS NEW STYLE ORA
- 000975 COPPA ROSA MIRROR SUCTION CUP
- 000976 COPPA ROSA MIRROR "T" PIECE
- 000979 COPPA ROSA SUCTION SUPP KIT ARM/CUP/ TRIANGLE SUITS NEW STYLE ORA
- 039159 ENZO MIRROR KNUCKLE JOINT
- 000965 ENZO MIRROR SUPPORT SCREW KNOB
- 000966 ENZO MIRROR - MAG PAD
- 001004 ORA TOWING MIRROR - STANDARD ARM
- 001007 ORA TOWING MIRROR - MAG SUPPORT
- 001011 ORA TOWING MIRROR EXTENSION STRAP WITH SUCTION CUP OLD ORA
- 001013 ORA TOWING MIRROR - MIRROR HEAD
- 001016 ORA TOWING MIRROR TRIANGULAR MOUNT NEW ORA AND COPPA ROSA
- 038125 ORA HOOK STRAP SUIT MK3 2100 MIRROR
- 038126 ORA LOBE KNOB
- 036127 ORA NARROW HOOK TO SUIT 2100 MIRROR MK3
- 036128 ORA WIDE HOOK TO SUIT 2100 MIRROR MK3
- 001003 ORA TOWING MIRROR LONG ARM SET PAIR


BIG RED TOWING MIRROR
 000968

Suitable for wider loads. Big Red extends 500mm from the existing side mirror giving unparalleled vision down the side of the vehicle (car/boat/van). The unit can be installed in seconds with no tools required and is also easily removed.

FEATURES:

- Extra wide vision
- Fits securely to the existing wing mirror with magnetic support for additional stability
- Won't scratch paint work
- Strong, quality non corrosive materials
- Magnetic pads protected by an anti-scratch material
- Mirror clamp can be installed on top or below mirrors
- Sold individually


TOWING MIRROR STRAP ON STANDARD WITH CONVEX MIRRORS
 000986

Dual strap on mirror, suits 4WDs.

SPECIFICATIONS:

- 2/3 flat clear glass fixed on mirror
- 1/3 adjustable convex lens
- Sold individually


COPPA ROSA DOOR MIRROR-SINGLE
 000969

The Coppa Rossa is an extremely stable and effective towing mirror that suits both sides of a towing vehicle. Featuring a long improved mounting device, and a bracing arm that attaches to the car door with a suction cup. Easy to install and strong and stable. The mounting device is designed to provide a snug fit to the most awkward of side mirror shapes. The towing mirror itself can be adjusted and swiveled to suit a variety of positions. The addition of the

suction support brace will prevent fold-in and vibration, often experienced with clip-on mirrors.

FEATURES:

- Fits most vehicles, strong and stable
- Vibration resistant
- Easily installed and removed
- No tools needed
- Sold individually



CAMEC BREAKAWAY SYSTEM SINGLE OR DUAL AXLE

040119
041767 REPLACEMENT BATTERY

Install on your caravan or trailer A-frame or in any protected position. It includes a battery that can apply your caravan or trailer electric brakes for at least 15mins in the event the caravan or trailers is disconnected from the tow vehicle. This is a mandatory addition to any caravan or trailer that exceeds 2.0 tonnes.

FEATURES:

- Charging of the battery can be done via the tow vehicle auxiliary line
- Rechargeable battery included, manual test circuit and battery charge indicator
- Single and dual axle, compact and easy to install
- Includes breakaway switch
- Test circuit included and battery charge level indicator



BREAKSAFE BATTERY 4021

000941

Replacement batteries for the Breaksafe unit.

SPECIFICATIONS:

- 12 volt
- 7Ah
- 93mm(h) x 65mm(w) x 152mm(l)
- Weight: 2kg



BREAKAWAY KIT HOPKINS

042758

The Engager Breakaway Kit features simple wiring for easy installation. Does not include any remote monitoring function and can not be used for RVs registered in NSW.

BREAKSAFE REPLACEMENT COIL AND PIN

042482

BREAKSAFE BREAKAWAY SWITCH ONLY

042483



CAMEC REMOTE BATTERY MONITOR TO SUIT CAMEC BREAK AWAY SYSTEM

041764

Used in conjunction with the Camec Breakaway System, it delivers a visual and audible warning to the driver if the battery charge in the Camec Breakaway System falls to such a level that if the system is engaged it is incapable of maintaining brake actuation for at least 15 minutes.

FEATURES:

- Easy to mount



BREAKAWAY KIT TEKONSHA (2028)

000939

000938 SWITCH TEKONSHA (MODEL 2010)

Lockable breakaway kit for all single, tandem and tri-axle breakaway applications.

FEATURES:

- Kit contains a polymer battery case with A-frame or post mounting bracket and a 12V sealed rechargeable 5A battery.



BREAKAWAY KIT 6000XP BREAKSAFE

000642

The Breaksafe 6000 has the addition of many innovative new features including easy access to the battery compartment for servicing and fully enclosed internal circuit board case for better water resistance. This kit suits 6 Wheel trailer.

FEATURES:

- Breaksafe will not only apply the electric brakes and the brake lights of the trailer, but will keep them applied for around 20 minutes, enabling you to secure your trailer when it has come to a stop.
- The Breaksafe Breakaway System has been designed to activate the electric brake system and brake lights on all caravans, travel trailers, trailers, horsefloats and campers in the event of an accidental separation (e.g. Breakaway).

SPECIFICATIONS:

- Each Breaksafe kit comes complete with battery, coil cable breakaway switch and all mounting hardware, as well as full installation instructions.



BREAKAWAY KIT 6000 BREAKSAFE

000940 6000 KIT

039363 BREAKSAFE REMOTE MONITOR RM6000

Designed to automatically apply the electric brakes and brake lights on the trailer in the event of an accidental separation from the tow vehicle.

FEATURES:

- Automatically recharges when connected to tow vehicle
- Compact and easy to install

SPECIFICATIONS:

Please note: A unit of this type must be installed on trailers in excess of 2000kg if built after July 1989.

- Dimensions: 64mm(w) x 25mm(h) x 50mm(d)
- Weight: 80gm



SMARTCHECK BATTERY MONITOR

042415

Hayman Reese Smartcheck Battery Monitor enables the remote monitoring of the charge of up to four batteries located in the vehicle and/or trailer.



12V 1A SLA BATTERY CHARGER

044433

A mains powered Lead Acid battery charger designed for 12V batteries. Features intelligent automatic charge controller to stop charging when the battery is full and maintain the battery with a 'floating' charge mode. This feature allows you to leave the charger connected to the battery without risk of overcharging and know your battery is always ready to go. Includes a 2m long cable with interchangeable DC plug and Alligator clips.

SPECIFICATIONS:

- Charging voltage: 12V
- Charging current: 1A
- Dimensions: 70mm(l) x 40mm(d) x 40mm(w)

BRAKE CONTROLLERS

**BRAKE CONTROLLER PRODIGY (90185/90885)**

000949 PRODIGY 90185/90885
 000950 PRODIGY POCKET MNT KIT 90185
 000951 PRODIGY 3FT HARNESS KIT 90185

Requires no manual leveling and is a break through among inertia-activated brake controls. Equipped with a self adjusting sensing device to allow for easy, flexible installation from nearly horizontal to vertical. It constantly adjusts itself to the position of the tow vehicle.

FEATURES:

- Allows application of more initial braking power when towing heavier trailers
- Inertia control works proportionally in reverse – great for backing into tough spots
- Diagnostic checks for proper connection or shorted magnet condition
- Power saving mode – reduces drain on battery when vehicle not in use

SPECIFICATIONS:

- Dimensions: 115mm(l) x 27mm(h) x 80mm(d)
- Weight: 520gms
- Made for up to 4 axle trailer brake systems

**BRAKE CONTROLLER VOYAGER (9030)**

000947

This easy to install electronic brake controller features advanced electronics that minimises false braking to give a smoother ride, even on the roughest roads.

FEATURES:

- Compact and easy to install
- Minimises false braking
- Suits 2-4 magnets
- Includes mounting kit

**BRAKE CONTROLLER TEKONSHA P3 (90195)**

038367

One of the more advanced approaches to trailer brake controls. Requires no manual leveling. Self adjusting sensing device to allow for easy, flexible installation from nearly horizontal to nearly vertical. Will constantly adjust itself to the position of tow vehicle.

FEATURES:

- Allows the user to switch between electric over hydraulic or electric trailer brake mode
- Highly advanced – easy to understand roadside diagnostics
- Easy access – controls upfront
- Compact dash hugging design
- Easy to use – clip mounting system

SPECIFICATIONS:

- Dimensions: 115mm(l) x 27mm(h) x 80mm(d)
- Weight: 650gms
- Made for up to 4 axle trailer brake systems

**BRAKE CONTROL HAYES ENERGIZE 3**

000937

Energize III electronic brake controller is a sensing device that automatically monitors and measures tow vehicle deceleration and applies the trailer brakes in direct proportion. It reacts instantly to any change in brake pedal pressure and ensures controlled, smooth stops. Available for all single and tandem trailers equipped with electronic brakes.

FEATURES:

- Compact, rugged case
- Trailer/tow vehicle stop lights operate when trailer brakes are applied automatically or manually
- Wide range of mounting positions
- Compatible with all electronic systems (ABS, Cruise, etc)
- Smooth, proportional trailer braking

**HAYMAN REESE BRAKE COMPACT CONTROLLER**

042927

The Hayman Reese Compact joins the already reliable range of Hayman Reese Brake Controls and, like the name suggests, is compact enough to be installed when space is a big factor. The controls are mounted in the dash, with the main control unit mounted out of sight. Very few tools are needed to carry out the installation with a drill, crimp tool, wire cutter and circuit tester all you need to complete your job.

FEATURES:

- Compact size
- Electric trailer brake control for 1-3 axles
- Plug and play feature allows for quick and easy connection with the Hayman Reese Smartclick brake control harness
- Unique sync adjustment for towing different trailers
- Flexible and neat mounting options
- Green LED indicator monitors a secure connection with your trailer
- Remote mount ensures no issues with hitching the brake control unit or damaging it whilst moving in your vehicle
- Remote mount is less likely to interfere with any airbag deployment zones e.g. knee or lower leg

SPECIFICATIONS

- 3 year limited warranty
- Quick connect plug
- Power output control/manual override button
- Sync control
- LED indicator

**BRAKE CONTROLLER SENTINEL (05350)**

040752

Simple operation, slim design and a wide range of mounting options make it the perfect choice for today's towing vehicles. No moving parts or pendulums to adjust, it can be mounted in virtually any position.

FEATURES:

- Digital display, solid state, no moving parts, no hydraulic connections
- Compact size, mounts anywhere
- Advanced internal circuit protection to prevent damage if incorrectly wired
- No hydraulic connections
- No leveling required

SPECIFICATIONS:

- Includes mounting bracket, hardware and instructions
- For use on 12V negative ground systems only
- Smartclick compatibility offers plug and play functionality allowing a quick and easy connect to any Smartclick brake control body harness