


HATCHES & VENTS

Roof hatches - Camec 202

Roof hatches 204

Vents and cowls 208





ROOF HATCHES - CAMEC

CAMEC 4 SEASONS EVOLUTION ROOF HATCH

044483

The NEW Camec 4 Season Evolution Roof Hatch is not only the most versatile and easy to use hatch but now has improved design, LED lights and roller blind. These features take the practical hatch into a modern and stylish caravan feature.

FEATURES:

- Fully designed in Australia for Australasian Conditions
- Retains Camec's famous 4 season functionality
- Passive ventilation - 182cm²
- Each door has three opening positions (Closed, Rain Mode, Fully Open)
- New elegant design
- Tough ASA construction resulting in improved sealant adhesion
- Fully tested in Australia
- Easy installation from inside the RV
- Includes skylight - tinted high impact resistant acrylic
- Includes custom roller blind with multiple detent positions
- Integrated LEDs
- White colour temperature selectable, blue night light function and dimmable
- Ergonomic vent controls
- 2 Year Warranty

SPECIFICATIONS

- Hatch Size: 700x500



CAMEC 4 SEASONS EVOLUTION ROOF HATCH SPARE PARTS

044728 FLYSCREEN

044729 FLYSCREEN - SHORT 500 SIDE

044730 OPENING FLAP

044731 OPENING FLAP - SHORT 500 SIDE

044732 WINDER





CAMEC 4 SEASONS HATCH
041398

The Camec Four Seasons Hatch, the most versatile and easy to use hatch on the market, is now even easier to install thanks to pre installed EPDM foam tape around the perimeter. Easy to open and close on all 4 sides and featuring fully removable fly screens for ease of cleaning or replacement. The hatch can be left partly open while out of the caravan for the day, allowing airflow into your caravan while having no concerns of water getting in through the hatch if it rains.

FEATURES:

- Complies with gas codes
- One piece moulded main body
- Easy to fit
- Screens removed easily for cleaning

SPECIFICATIONS:

- Cut-Out: 660mm x 660mm
- Fits old 4 Seasons Hatch cut out
- Fitted tape with pre-drilled holes
- Supplied with wind deflector



CAMEC 4 SEASONS HATCH INTERNAL TRIM

To suit Camec 4 Seasons Hatch - refer code 041398.

CODE	NAME	ROOF THICKNESS	COLOUR
039977	CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	40MM	WHITE
039927	CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	50MM	WHITE
039978	CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	60MM	WHITE
039979	CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	70MM	WHITE
040033	CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	80MM	WHITE



CAMEC 4 SEASONS HATCH OPENING FLAP
040159

Replacement hatch opening flap for Camec 4 Seasons Hatch (refer code 041398).

- White



CAMEC 4 SEASONS HATCH FLY SCREEN
040158

Replacement fly screen for Camec 4 Seasons Hatch (refer code 041398).



CAMEC 4 SEASON HATCH INSECT SCREEN
016430

(Old Style - Prior 2011) Replacement insect screen for Camec 4 Seasons Hatch.



CAMEC 4 SEASONS HATCH MIDGE INSECT SCREEN
016431

(Old Style - Prior 2011) Replacement midge insect screen for Camec 4 Seasons Hatch.



CAMEC 4 SEASONS HATCH WINDER
040160

Replacement hatch winder for Camec 4 Seasons Hatch (refer code 041398). Does not include black pin.



CAMEC 4 SEASONS HATCH LIFT MECH/FASTENER/CENTRE BAR
016432

(Old Style - Prior 2011) Replacement lift mechanism, fastener and centre bar for Camec 4 Seasons Hatch.

SPECIFICATIONS:

- Set of 3 parts



CAMEC 4 SEASONS HATCH PLASTIC FRAME (OLD STYLE - PRIOR 2011)

Replacement plastic frame for Camec 4 Seasons Hatch.

SPECIFICATIONS:

- 3mm ABS

CODE	NAME	ROOF THICKNESS	COLOUR
016437	4SH PLASTIC FRAME (OLD STYLE - PRIOR 2011)	50MM	WHITE
016438	4SH PLASTIC FRAME (OLD STYLE - PRIOR 2011)	75MM	WHITE

ROOF HATCHES



FIAMMA TURBO VENT 280MM X 280MM WITH FAN
008641 WHITE
040826 CRYSTAL

Ideal for airing small spaces such as bathrooms. The aerodynamic vent is supplied with fan, and with an air flow ventilation system and insect screen.

FEATURES:

- Includes anti-theft device and roller blinds
- Rainproof
- Internal installation system - not necessary to drill holes in vehicle
- High quality UV ray resistant materials
- Polar control thermostat - regulates incoming and outgoing air according to the vehicle's inside temperature
- Water tight

SPECIFICATIONS:

- Dimensions: 280mm x 280mm
- Feeding Tension: 12V
- Absorbed Power: 25W
- Fan Diameter: 180mm
- Maximum Air Flow: 9M3/min
- Maximum Electric Input: 1.9A



FIAMMA CRYSTAL VENT 500MM X 500MM COMBI WITH ROLLER BLIND
008636 CRYSTAL
008637 WHITE

Opens on all four sides with practical handles. Maintains constant ventilation in the vehicle. Available with a standard roller blind with two rollers, one blackout and one with fly screen.

FEATURES:

- Locking anti-theft device on handle
- ABE approved
- High quality UV ray resistant materials
- Permanent ventilation
- Rainproof and windproof

SPECIFICATIONS:

- Dimensions Outside: 570mm x 570mm
- Dimensions Inside: 550mm x 550mm
- Cutout: 500mm x 500mm
- Hatch Closed: 85mm
- Suits roof thickness 30mm to 70mm



FIAMMA CRYSTAL HATCH 400MM X 400MM (14" X 14")
008617

Simple and functional ventilation system. Can be left open while traveling and provides ventilation even when closed.

FEATURES:

- Easily installed in 360mm x 360mm or 400mm x 400mm opening
- Includes fly screen
- Crystal



FIAMMA VENT 280MM X 280MM
008640

Ideal for airing small spaces such as bathrooms, the aerodynamic vent is supplied with an air flow ventilation system and insect screen.

FEATURES:

- Includes anti-theft device and roller blinds
- Rainproof
- High quality UV ray resistant materials
- Permanent ventilation
- Water tight

SPECIFICATIONS:

- 12V
- Maximum Air Flow: 9M3/min
- White



FIAMMA TURBO VENT PRO HATCH
008645

Compact with transparent grating permits maximum airflow and passage of light. Sturdy outside fibreglass net prevents accumulation of leaves and other debris.

FEATURES:

- 12V DC variable speed motor with 10 blades exchanges inside air within seconds
- Finger touch control
- Transparent grating permits maximum air circulation and light filtration
- Polar control thermostat: regulates incoming and outgoing air according to the vehicle's inside temperature
- Water tight

SPECIFICATIONS:

- 12V
- Absorbed Power: 36W
- Maximum Air Flow: 35M3/min
- Fan Diameter: 300mm
- Minimum Electric Input: 0.3A
- White



FIAMMA TURBO PREMIUM ROOF VENT WITH MOTOR
044583

High quality and durability thanks to the elegant external aerodynamic profile top, this vent does not require the use of a spoiler. During high-speed testing, noise and vibrations were greatly reduced. The outer cover and exclusive patented rubber seal, guarantee a watertight system and ensures that rain is displaced. ABE approved. Made with high quality UV-ray resistant materials. Interchangeable with the old 40x40cm Fiamma vents and with vents from 36x36cm to 42x42cm thanks to the reinforced frame. Supplied with permanent air flow ventilation and mosquito screen. Features a large 10 blade fan with 12V DC variable speed motor. It changes and refreshes the air inside your vehicle within seconds. The electronic circuit ensures a rapid, problem-free, change of rotation. The transparent grating permits maximum air circulation and filters light.

The Premium version of Fiamma Turbo-Vent has been given a modern design with advanced finger-touch controls; the state of the art interface is completed by brand new multicolor LED lights.

Speed setting and switching now have acceleration ease which helps saving the Turbo-Vent motor and the vehicle control unit.

SPECIFICATIONS:

- Feeding Tension: 12 Vcc
- Absorbed Power: 36 W
- Min electric input: 0.2 Amp
- Max electric input: 3 Amp
- Max air flow: 35 m³/min
- Fan diameter: 300 mm
- Permanent air flow: 80 cm²



FIAMMA HATCH BLIND KIT 400MM X 400MM ROLLO VENT 40 (14" X 14")
008638

Roller blind system, perfect for installing on Fiamma Vent 40 x 40 roof lights. Permanent air flow and ventilation thanks to side grills. Low profile frame. 2 rollers, one is a block-out, the other is a fly screen. Easy installation without drilling: use the same fixing points of Fiamma Vent 40 and Turbo Vent frames.

- Ivory



FIAMMA LID 500MM X 500MM OUTER AND INNER (20" X 20")
008644

Suits Fiamma 50 x 50 roof vent.

FEATURES:

- Comes in two sections - outer cover and inner lid cover
- No additional fittings included
- White



FIAMMA HATCH LID 400MM X 400MM (14" X 14")
008615

Replacement lid for Fiamma standard and turbo 40 x 40

vents. Note: Please be aware of aerodynamics of vent. Will not fit earlier model.

- White



FIAMMA HATCH LID 400MM X 400MM - OLD STYLE (14" X 14")

Replacement lid to suit Fiamma 14" x 14" vent.
008613



FIAMMA TURBO VENT HATCH OPENING MECHANISM
008624

Opening mechanism suitable for Turbo Vent.

ROOF HATCHES



JENSEN ROOF VENT 12V 14" X 14" METAL BASE
008589

Ideal to allow air to flow in and out of the RV.

FEATURES:

- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
- Radius corners are standard
- Screen allows air through while keeping insects out
- Acrylic UV resistant translucent lid
- 12V Fan
- White



JENSEN ROOF HATCH 400MM X 400MM METAL BASE (14" X 14")
008581

Ideal to allow air to flow in/out of RV vehicle.

FEATURES:

- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
- Radius corners are standard
- Screen allows air through while keeping insects out
- Acrylic UV resistant translucent lid
- One piece seamless frame with a deep drawn painted metal base

SPECIFICATIONS:

- Injection moulded garnish - accommodates a variety of roof thicknesses
- White



ELIXIR 12V ROOF VENT 14" X 14" METAL BASE
008603

This roof vent is fitted with a 12V fan to extract unwanted steam and exhaust fumes. Ideal for caravans or motorhomes.

FEATURES:

- Self-centering metal base with radius corners
- Interior garnish with wider 1 1/4" flange
- Galvanised metal base
- 12V Fan
- Positive-seal weather stripping

SPECIFICATIONS:

- Universal - fits all rough openings
- Flange covers all screw holes
- One piece metal frame, deep drawn metal base
- Covers all interior stains left by previous garnishes



HATCH LID SOPRU VW 550MM X 355MM
035452

Fibreglass with 10mm lip.



JENSEN LID 14" - NEW STYLE
008583

Replacement lid for Jensen Roof Vent 355mm.

FEATURES:

- Grooved/slotted hinge spigots
- Central metal brace is removed during installation
- Plastic is 335mm square and low profile
- Easy to replace by removing the central metal slide by screws from above. This releases hatch which can then pivot over hinge. The metal slide is moved up or down until it can slip over the end of the winder mechanism

SPECIFICATIONS:

- Dimensions: 355mm(w) x 90mm(h) x 355mm(d)



JENSEN LID 14" - OLD STYLE
008582

Replacement lid for Jensen Roof Vent 355mm.

SPECIFICATIONS:

- 4 attachment spigots - pin hinged (pin not included)



ELIXIR ROOF VENT - 228MM X 228MM (9' X 9')
033578

Compact and lightweight, ideal for providing air flow in small areas such as kitchens or bathrooms. Suitable for caravans and motorhomes.

FEATURES:

- Lightweight vent ideal for providing air flow in small spaces
- Opens with the included handle to 45° and when closed sits only 30mm above the roof top
- Waterproof
- Weatherproof
- Rustproof

SPECIFICATIONS:

- Adjustable inner trim allowing for most roof thicknesses
- 228mm x 228mm (9"x9")
- White



FANTASTIC VENT 2250 MANUAL
043516 WHITE LID
043391 SMOKE LID

This model has a built in thermostat. The fan will operate at one of the three pre-selected speeds when the thermostat calls for cooler air. Once the thermostat is satisfied, the fan shuts off automatically. Designed to ensure consistent temperatures. Ideal for caravans or motorhomes.

FEATURES:

- Quiet 12V ceiling fan with 3 speeds
- Manual lift dome
- Built in thermostat
- Reversible air flow

SPECIFICATIONS

- Fits 14" x 14" opening
- Replaces model 5000RBT
- Dimensions: 355mm(w) x 355mm(l) x 30mm(d)
- Power: 12V DC
- Weight: 5.5kg



FANTASTIC VENT 3350 POWER
043517 WHITE LID
043392 SMOKE LID

Activated when any of the three speeds are selected and the dome opens and closes with the press of a button. To activate the fan blade, the built-in thermostat must be turned to a lower temperature than the current interior temperature. The fan will shut off when the pre-selected temperature is reached, but dome stays open for ventilation until the down switch is selected or the built-in rain sensor automatically closes the dome. A built-in manual knob can be used to close the dome in an emergency, to adjust the dome to a desired partially open height, or to override the rain sensor. Including a reverse switch for either intake or exhaust, the fan draws only 3A. max. and has a built in 6A fuse which is easily accessible on the face.

FEATURES:

- Lid automatically closes in rain
- Reversible fan
- Thermostatically controlled fan and manual override

SPECIFICATIONS

- Suits a hole size 355mm x 355mm
- 12 Volts, 3 Amps
- 3 Speed fan
- Weight: 5.12kg



JENSEN FLY SCREEN 14" STANDARD NEW STYLE
008585

Replacement fly screen to suit 12V or standard Jensen hatch.

SPECIFICATIONS:

- Dimensions: 355mm(w) x 35mm(h) x 355mm(d)



ELIXIR LID 14" - OLD STYLE
008591

Replacement lid to suit 12V or standard Elixir hatch. Centre bar is riveted to lid and metal slide bar (difference between the Elixir old style lid and the new style lid).

SPECIFICATIONS:

- Suits Elixir PVC roof vent 355mm x 355mm
- White



ELIXIR LID 14" - NEW STYLE
008592

Replacement lid to suit 12V or standard Elixir hatch.

Centre bar is riveted to lid and metal slide bar (difference between the Elixir old style lid and the new style lid).

SPECIFICATIONS:

- Suits Elixir PVC roof vent 355mm x 355mm
- White

ROOF HATCHES



FANTASTIC VENT NEW LID
008652

Replacement lid for Fantastic roof vents. Easily identifiable by grooved/slotted hinge spigots.

SPECIFICATIONS:

- Smoke glass - dark tint



ELIXIR 12V MOTOR
008604



ROOF VENT INSTALLATION KIT 38-8444
043186

Safe for all vents and skylights, plus works on all types of roofs and surfaces (except silicone). Eliminates messy roof coating and paint brushes - just peel and stick.

KIT INCLUDES:

- 1" x 60" roll of double stick tape
- 2" x 70" roll of Super Stick tape
- 28 hex head screws

VENTS AND COWLS



ROTARY VENT HODGES
016543 PLASTIC
016544 METAL

Cutaway: 100mm hole



PLASTIC VENT
007973 127MM X 76MM
007965 L4 45MM X 230MM
007971 RL3 145MM X 230MM
007968 RC6 150MM X 230MM
007969 C5 STICK ON 150MM X 230MM
007966 AC44 175MM X 207MM

Suitable for cupboards and pantries or any enclosed space that requires ventilation.

SPECIFICATIONS:

- Removable with mesh
- White



SCUPPER VENT SMALL
016550

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.

SPECIFICATIONS:

- Dimensions: 170mm(w) x 113mm(h) x 70mm(d)
- White



SCUPPER VENT LARGE - WHITE
016554

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.



SCUPPER VENT INTERNAL TRIM
016561 SMALL TRIM 40MM ROOF THICKNESS
016563 LARGE TRIM 40MM ROOF THICKNESS
016562 LARGE TRIM 50MM ROOF THICKNESS

- White



SOLAR EXHAUST VENT PVC
008563

FEATURES:

- Weatherproof
- Solar powered exhaust vent
- Extracts up to 680 cu ft of air per hour in bright sunlight
- Will also work successfully in natural daylight
- No wiring or running costs



MULLER VENT - PLASTIC
016519

FEATURES:

- Teardrop shaped plastic exhaust ventilator
- Venturi technique extracts air even while vehicle is stationary
- Dimensions: 285mm(l) x 185mm(w)



VENT SEA BIRD PLASTIC
016520

FEATURES:

- Generates large airflow
- Either intake or exhaust
- Waterproof

SPECIFICATIONS:

- Dimensions: 190mm(l) x 110mm(h) x 145mm(w)



FLUSH PLASTIC VENT
016530

Suitable for lockers, doors, cupboards. Flush mounted.

SPECIFICATIONS:

- Dimension: 90mm(l) x 90mm(h)
- White



12V EXTRACT FAN AND 10W LIGHT
016536 WHITE
016538 CHROME

Ideal for showers in caravans or motorhomes.

FEATURES:

- Complete with 10W light
- Available in white, gold or chrome



VENT CENTAUR 623
035299 SMALL 190MM X 100MM
016510 MEDIUM 215MM X 165MM

Black Centaur 623 vents are ideal for caravans and RV vehicles.

FEATURES:

- The frame and springs require just 10mm clearance below the outside mounting and the supplied internal finger grip extends just 18mm below the outside front face
- Opens to 30 degrees and extends 80mm above the outside mounting
- Positive dust and waterproof seal when closed
- Black



ALUMINIUM VENT

STUCCO

- 016454 95MM X 190MM
- 016462 210MM X 190MM
- 016466 210MM X 381MM
- 016470 286MM X 572MM
- 016485 629MM X 572MM

SMOOTH

- 016452 95MM X 190MM
- 016456 133MM X 190MM
- 016460 210MM X 190MM
- 016464 210MM X 381MM

Painted aluminium vents are available in smooth white or stucco white. Each louvre provides approximately 600 square mm of venting. The number of louvres per vertical row varies with height. When ordering vents please nominate required size by stating height and width.

SPECIFICATIONS:

- 190mm wide vent feature 1 vertical row of venting
- 381mm wide vent feature 2 vertical rows of venting
- 572mm wide vent feature 3 vertical rows of venting
- 762mm vent feature 4 vertical rows of venting
- 953mm wide vent feature 4 vertical rows of venting
- White



PLASTIC LOUVRE VENT
016527 125MM X 260MM BLACK
016528 125MM X 260MM WHITE
016525 70MM X 445MM BLACK

Suitable for cupboards and pantries or any enclosed space that requires ventilation.



STAINLESS STEEL VENT
016539 SINGLE 127MM X 65MM
016540 SINGLE 127MM X 115MM
016541 SINGLE 127MM X 227MM
016542 DOUBLE 227MM X 115MM



ALI ROOF COWL
016581 SMALL 100MM
016583 MEDIUM 150MM
016585 LARGE 203MM

The roof cowl (outer section) sits on the roof, providing a waterproof vent.



INSERT ROOF COWL
016582 SMALL 75MM
016584 MEDIUM - LARGE 150MM



ROSE VENT
016548 PLASTIC
016549 ALUMINIUM

SPECIFICATIONS:

- Used for cross flow ventilation
- Adjustable opening vent



BLOWER VENT 90MM X 90MM
016533

SPECIFICATIONS:

- 75mm tail plastic
- Dimensions: 90mm x 90mm
- White